

GRAIN CORN	
DEKALB corn hybrids and agronomic ratings	8
Corn crop protection products	26
SILAGE CORN	32
DEKALB Silage Ready™ hybrids and agronomic ratings	36
SOYBEANS	45
EKALB soybean varieties and agronomic ratings	48
oybean crop protection products	58
RESOURCES	62
eldView™ through the season	62
arket Development trials – testing for you, by you	64




WHAT'S NEW FOR 2024. We're introducing 11 new additions to the DEKALB® grain corn lineup. We want to make it easy for you to find the perfect hybrid for your operation.













SmartStax® RIB Complete® offers control of above and below-ground feeding insects, helping protect from roots to stalks to ears. SmartStax hybrids are an ideal choice for corn-on-corn areas, with multiple modes of action against black cutworm, corn earworm, corn rootworm, European corn borer and fall armyworm. The SmartStax trait includes Roundup Ready® 2 and LibertyLink® technologies for herbicide tolerance. Choose this trait for corn rootworm control.



Trecepta® RIB Complete® helps reduce yield loss by protecting your corn crop from a wide range of pests. Three different modes of action give you more complete control against above-ground pests including black cutworm, corn borer, corn earworm, fall armyworm and Western bean cutworm that can inflict serious crop damage. Trecepta contains Roundup Ready® 2 Technology, which allows the corn plant to withstand Roundup® brand herbicide applications. Choose Trecepta for Western bean cutworm control.



VT Double PRO® RIB Complete®

delivers two modes of action for above-ground stalk and ear protection from corn earworm, European corn borer and fall armyworm. VT Double PRO contains Roundup Ready® 2 Technology, which allows the corn plant to withstand Roundup® herbicide applications. Choose this trait when European corn borer is a concern.



Get premium
performance with
DEKALB. See local trial
performance data
at DEKALB.ca



GREATER ROOTWORM

SmartStax® PRO with RNAi Technology offers the strongest biotech defense* against corn rootworm pressure while still providing protection against above-ground pests and tolerance to glyphosate and glufosinate herbicide applications.



TRAITS.BAYER.CA

WE'RE CHANGING THE WAY WE NAME OUR HYBRIDS

Why are we changing? Quite simply, we're running out of numbers. And we want to make it simpler for you to understand our hybrid lineup.


HERE'S WHAT YOU NEED TO KNOW:

- · We will still have DKC in the front and RIB at the end
- The first set of numbers will be the actual relative maturity (RM), so you don't have to add 50 any longer
- The new name structure will apply only to new hybrids for 2024
- · Current hybrids will not have their names changed. For example, DKC53-60RIB will stay the same.

EXAMPLE OF NEW NAMING SYSTEM:

DKC101-35RIB

Historically, this hybrid would have been named DKC51-35RIB. It's a 101 RM product and so now, the 101 is very clear.



*Source: 2021 & 2022 Eastern Canada Market Development, 9 locations: Tavistock ON (21, 22), St. Barbe QC (21, 22), St. Hugues QC (21, 22), Rodney ON (21, 22), Brussels ON (21). Treatment means are significantly different at P<0.05.

Your results may vary according to agronomic, environmental and pest variables.



DKC20-23RIB 70 RM 2050 CHU

VTDoublepro

- · Earliest hybrid in the DEKALB® lineup, designed to excel in ultra-early environments throughout Canada
- Excellent grain quality potential and late-season plant health
- Fast drydown and strong test weight

DKC24-06RIB 74 RM 2100 CHU



- Excellent test weight
- Excellent stalk strength
- · Very good drydown and harvest appearance
- Very good root strength and drought tolerance
- Plant to target 34-36,000 plants per acre on highly productive ground

DKC21-36RIB 71 RM 2075 CHU



- · Late flowering timing for maturity but dries down very quickly
- · Excellent emergence, seedling vigour and root strenath
- · Excellent staygreen, drydown and test weight
- Very good drought tolerance
- Excellent protection against Northern corn leaf blight and common rust
- Plant to target 32-34,000 plants per acre on highly productive ground

DKC25-15RIB



- · Strong emergence and seedling vigour
- · Very good drought tolerance
- Excellent yield potential
- · Shorter plant height results in less residue post harvest

DKC24-05 74 RM 2100 CHU



- · Late flowering timing for maturity but dries down very quickly
- Excellent test weight
- Excellent stalk strength
- Very good root strength and drought tolerance
- Plant to target 34-36,000 plants per acre on highly productive ground

DKC26-40RIB 76 RM 2150 CHU





- Excellent emergence and seedling vigour
- Excellent test weight
- Excellent late-season appearance
- · Fast drydown helps put this hybrid on the early side of its relative maturity
- Strong disease package
- · Plant to target 36-38,000 plants per acre on highly productive ground

2024 DEKALB GRAIN CORN AGRONOMIC CHART

	HYBRID			P	LANTIN	G					GRO	WTH			HA	ARVE.	ST		HEI	RBICI	DE &	DISE	ASE		SILAGE RATINGS
		TRAIT	RELATIVE MATURITY¹	СНО	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	TARGET POPULATION3	EMERGENCE	SEEDLING VIGOUR	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	PLANT HEIGHT	STAYGREEN	DRYDOWN	TEST WEIGHT	HARVEST APPEARANCE	HERBICIDE SAFETY ⁴	NORTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	COMMON RUST	GIBBERELLA EAR ROT	ANTHRACNOSE STALK ROT	TAR SPOT	SILAGE READY
	DKC20-23RIB	VT2P	70	2050	AVG	F	34-36	3	2	3	3	3	M	3	2	2	4	-	5	5	3	AA	3	-	
	DKC21-36RIB	VT2P	71	2075	LATE	SF	32-34	2	2	2	3	3	M	2	2	2	3	~	2	5	2	AA	6	-	SIL AGE READY
	DKC24-05	RR2	74	2100	LATE	F	34-36	3	3	3	2	3	M-T	3	2	2	4	~	5	5	2	AA	5	-	
	DKC24-06RIB	VT2P	74	2100	LATE	F	34-36	3	3	3	2	3	M-T	3	3	2	3	~	5	5	2	AA	5	-	SILAGE READY
NEW	DKC25-15RIB	VT2P	75	2125	AVG	SF*	34-36	2	2	3	3	2	S-M	4	4	3	4	~	5	4	3	AA	5	-	
	DKC26-40RIB	VT2P	76	2150	LATE	SF	36-38	2	2	3	2	2	M-T	2	2	1	2	~	4	5	3	AA	5	-	SIL AGE READY

Data compiled from Bayer conducted field trials. *Denotes a limited data set

LEGEND

F = Fixed SF = Semi-fixed SFL = Semi-flex FL = Flex

PLANT HEIGHT

S = Short M = Medium T = Tall

RATING SCALE 1-2 = Excellent

3-4 = Very Good

5-6 = Good to Average 7-8 = Fair to Poor

9 = Poor

- = Not Available

TRAIT

RR2 = Roundup Ready® Corn 2 SS = SmartStax® RIB Complete® VT2P = VT Double PRO® RIB Complete® TRE = Trecepta® RIB Complete®

GIBBERELLA EAR ROT AND

TAR SPOT RATINGS AA = Above Average

A = Average

BA = Below Average - = Not Available

HERBICIDE SAFETY

GR = Adverse effects from Growth Regulator Herbicides (Engenia®, Marksman®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, XtendiMax® with VaporGrip® Technology XtendiMax® 2 with VaporGrip® Technology, 2,4-D)

SU = Adverse effects from sulfonvlurea herbicides (Option®)

= Fither no adverse effects from hvbrid/herbicide combination were noted or only slight damage could be noted under adverse conditions.

The RIB designation refers to a RIB Complete® product

DKC28-25RIB 78 RM 2250 CHU

TDoubleppn

- Very good agronomic package with solid root and stalk strength
- Good heat and drought tolerance
- Fast grain drydown
- Good intactness and harvest appearance
- Strong disease protection against Northern corn leaf blight and anthracnose stalk rot

DKC29-89RIB 79 RM 2275 CHU

VTDoubleppn*

- · Late flowering timing for maturity but dries down very quickly
- Excellent harvest appearance
- Excellent drought tolerance
- Excellent root and stalk strength

DKC30-63RIB 80 RM 2325 CHU

VTDoublepro

- Excellent early-season vigour and emergence
- · Great stalk strength with strong grain test weight and fast drydown
- Trends to the earlier side of an 80-day RM product

DKC33-78RIB 83 RM 2400 CHU

VTDoublePRO*

- Excellent top end yield potential
- Solid agronomics with excellent stalk strength, standability and drydown
- Very good staygreen and late-season plant health
- Very good drought tolerance
- Excellent test weight
- · Performs well across all soil types and yield environments tested

DKC31-85RIB 81 RM 2425 CHU





- Excellent staygreen
- Very good emergence
- Very good root and stalk strength
- Very good drought tolerance
- Very good drydown and harvest appearance
- · Above average rating on gibberella ear rot
- Plant to target 36-38,000 plants per acre on highly productive ground

DKC32-49RIB 2 RM 2450 CHU

VTDoubleppn

- Very good test weight
- Medium statured plant with strong stalks
- Excellent late-season harvest appearance
- Excellent yield response potential on highly productive soils

2024 DEKALB GRAIN CORN AGRONOMIC CHART

	HYBRID			F	PLANTIN	G					GRO	OWTH			H	ARVE	ST		HE	RBICI	DE &	DISE	4 <i>SE</i>		SILAGE RATINGS	
		TRAIT	RELATIVE MATURITY¹	СНО	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	TARGET POPULATION ³	EMERGENCE	SEEDLING VIGOUR	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	PLANT HEIGHT	STAYGREEN	DRYDOWN	TEST WEIGHT	HARVEST APPEARANCE	HERBICIDE SAFETY ⁴	NORTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	COMMON RUST	GIBBERELLA EAR ROT	ANTHRACNOSE STALK ROT	TAR SPOT	SILAGE READY	
NEW	DKC28-25RIB	VT2P	78	2250	AVG	SF*	34-36	3	2	3	3	2	M	3	2	3	2	~	4	6	3	AA	2	-		
	DKC29-89RIB	VT2P	79	2275	LATE	SF	34-36	3	3	2	2	2	M-T	2	3	4	2	~	3	6	3	А	5	-		
	DKC30-63RIB	VT2P	80	2325	AVG	SF	34-36	2	2	3	2	3	M	4	3	2	3	~	4	4	4	А	6	-		
	DKC33-78RIB	VT2P	83	2400	EARLY	SFL	34-36	2	3	2	2	4	М	4	1	2	3	~	2	5	3	Α	5	-		
	DKC31-85RIB	VT2P	81	2425	AVG	SF	36-38	3	3	3	3	3	M-T	2	3	5	3	~	4	5	3	AA	4	-	READY	
NEW	DKC32-49RIB	VT2P	82	2450	AVG	F*	36-38	3	3	2	3	3	М	3	3	3	2	~	2	6	3	А	2	-		
																						Data com	niled fron	n Baver c	onducted field trials.	

Data compiled from Bayer conducted field trials. *Denotes a limited data set

LEGEND

EAR TYPE

F = Fixed SF = Semi-fixed SFL = Semi-flex FL = Flex

PLANT HEIGHT

S = Short M = Medium T = Tall

RATING SCALE

1-2 = Excellent

3-4 = Very Good

5-6 = Good to Average 7-8 = Fair to Poor

9 = Poor

– = Not Available

TRAIT

RR2 = Roundup Ready® Corn 2 SS = SmartStax® RIB Complete®

VT2P = VT Double PRO® RIB Complete® TRE = Trecepta® RIB Complete®

GIBBERELLA EAR ROT AND TAR SPOT RATINGS

AA = Above Average

A = Average

BA = Below Average - = Not Available

HERBICIDE SAFETY

GR = Adverse effects from Growth Regulator Herbicides (Engenia®, Marksman®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, XtendiMax® with VaporGrip® Technology XtendiMax® 2 with VaporGrip® Technology, 2,4-D)

SU = Adverse effects from sulfonvlurea herbicides (Option®)

= Fither no adverse effects from hvbrid/herbicide combination were noted or only slight damage could be noted under adverse conditions.

The RIB designation refers to a RIB Complete® product



DKC33-37RIB 83 RM 2500 CHU

VTDoublepro

- Excellent drought tolerance
- Very good drydown and harvest appearance
- Very good root and stalk strength
- Plant to target 34-36,000 plants per acre on highly productive ground

DKC34-57RIB 84 RM 2575 CHU



- · High yield potential
- Strong performance across all yield environments tested
- Flowering and drydown on target for maturity
- Tall plant type; great dual-purpose hybrid
- Performs best on loamy soils

DKC35-29RIB 85 RM 2575 CHU



- · Excellent disease package with improved stalk strength and great late-season plant health
- Excellent staygreen
- · Stable product in all yield environments tested with strong test weight potential

| *DKC35-34RIB* 85 RM 2575 CHU

SmartStaX

- Excellent below ground insect protection in corn-on-corn situations
- Very good roots and excellent late-season stalk strength
- Strong disease protection against Northern corn leaf blight and anthracnose stalk rot
- Emergence is best when planted into warm, fit soil conditions

DKC36-48RIB 86 RM 2600 CHU





- Strong early-season vigour and emergence
- Excellent drought tolerance
- Excellent top end yield potential
- Tall hybrid with good ear flex
- Ideal for grain or for silage

DKC37-73RIB 87 RM 2650 CHU

SmartStax®

- Excellent emergence and seedling vigour
- Excellent staygreen
- Very good drought tolerance
- Very good drydown, test weight and harvest appearance
- Plant to target 34-36,000 plants per acre on highly productive ground

2024 DEKALB GRAIN CORN AGRONOMIC CHART

HYBRID			P	LANTIN	G					GRO	WTH			H	ARVE	ST		HEI	RBICI	DE &	DISE	ASE		SILAGE RATINGS
	TRAIT	RELATIVE MATURITY	СНՍ	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	TARGET POPULATION ³	EMERGENCE	SEEDLING VIGOUR	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	PLANT HEIGHT	STAYGREEN	DRYDOWN	TEST WEIGHT	HARVEST APPEARANCE	HERBICIDE SAFETY ⁴	NORTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	COMMON RUST	GIBBERELLA EAR ROT	ANTHRACNOSE STALK ROT	TAR SPOT	SILAGE READY
DKC33-37RIB	VT2P	83	2500	AVG	SF	34-36	3	3	3	3	2	M-T	3	3	3	3	~	5	5	3	AA	5	-	
DKC34-57RIB	VT2P	84	2575	AVG	SF	36-38	2	2	3	4	2	Т	3	4	3	2	~	5	5	4	BA	5	-	SILAGE
DKC35-29RIB	VT2P	85	2575	AVG	SF	34-36	3	3	3	3	3	M	2	3	3	4	~	4	6	3	AA	6	-	
DKC35-34RIB	SS	85	2575	AVG	F*	36-38	4	3	2	2	2	M	3	3	3	3	~	3	6	3	А	2	-	
DKC36-48RIB	VT2P	86	2600	AVG	FL	32-34	3	2	2	4	2	Т	3	3	3	3	SU	4	6	4	А	4	-	READY
DKC37-73RIB	SS	87	2650	LATE	SF	34-36	2	2	4	4	3	M-T	2	3	3	3	~	3	5	3	AA	5	-	
	DKC33-37RIB DKC34-57RIB DKC35-29RIB DKC35-34RIB	DKC33-37RIB VT2P DKC35-29RIB VT2P DKC35-34RIB SS DKC36-48RIB VT2P	DKC33-37RIB VT2P 83 DKC34-57RIB VT2P 84 DKC35-29RIB VT2P 85 DKC35-34RIB SS 85 DKC36-48RIB VT2P 86	DKC33-37RIB VT2P 83 2500 DKC35-29RIB VT2P 84 2575 DKC35-34RIB SS 85 2575 DKC36-48RIB VT2P 86 2600	DKC33-37RIB VT2P 83 2500 AVG DKC34-57RIB VT2P 84 2575 AVG DKC35-29RIB VT2P 85 2575 AVG DKC35-34RIB SS 85 2575 AVG DKC36-48RIB VT2P 86 2600 AVG	DKC33-37RIB VT2P 83 2500 AVG SF DKC34-57RIB VT2P 84 2575 AVG SF DKC35-29RIB VT2P 85 2575 AVG SF DKC35-34RIB SS 85 2575 AVG F* DKC36-48RIB VT2P 86 2600 AVG FL	DKC33-37RIB VT2P 83 2500 AVG SF 34-36 DKC34-57RIB VT2P 84 2575 AVG SF 36-38 DKC35-34RIB SS 85 2575 AVG F* 36-38 DKC36-48RIB VT2P 86 2600 AVG FL 32-34	DKC33-37RIB VT2P 83 2500 AVG SF 34-36 3 DKC34-57RIB VT2P 84 2575 AVG SF 34-36 3 DKC35-29RIB VT2P 85 2575 AVG SF 34-36 3 DKC35-34RIB SS 85 2575 AVG F* 36-38 4 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3	DKC33-37RIB VT2P 83 2500 AVG SF 34-36 3 3 DKC35-29RIB VT2P 84 2575 AVG SF 34-36 3 3 DKC35-34RIB SS 85 2575 AVG F* 36-38 2 2 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2	DKC33-37RIB VT2P 83 2500 AVG SF 34-36 3 3 DKC35-29RIB VT2P 84 2575 AVG SF 34-36 3 3 3 DKC35-34RIB SS 85 2575 AVG F* 36-38 4 3 2 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2	DKC33-37RIB VT2P 83 2500 AVG SF 34-36 3 3 3 DKC35-29RIB VT2P 85 2575 AVG SF 34-36 3 3 3 DKC35-34RIB SS 85 2575 AVG F* 36-38 2 2 3 4 DKC35-34RIB VT2P 85 2575 AVG F* 36-38 4 3 2 2 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 4	DKC33-37RIB VT2P 84 2575 AVG SF 34-36 3 3 3 3 DKC35-29RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 DKC36-48RIB VT2P 86 2600 AVG Ft 36-38 4 3 2 2 2 DKC36-48RIB VT2P 86 2600 AVG Ft 36-38 4 3 2 2 2	DKC33-37RIB VT2P 83 2500 AVG SF 34-36 3 3 3 2 M-T DKC35-29RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 3 M-T DKC35-29RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 M DKC35-34RIB SS 85 2575 AVG F* 36-38 4 3 2 2 M DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 4 2 T	DKC33-37RIB VT2P 83 2500 AVG SF 34-36 3 3 3 2 M-T 3 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 4 2 T 3 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 M 2 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 M 2 DKC35-34RIB VT2P 85 2575 AVG F* 36-38 4 3 2 2 M 3 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 4 2 T 3	DKC33-37RIB VT2P 84 2575 AVG SF 34-36 3 3 3 3 3 4 2 T 3 3 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 4 2 T 3 4 DKC35-34RIB SS 85 2575 AVG SF 34-36 3 3 3 3 3 M 2 3 DKC35-34RIB VT2P 86 2600 AVG F* 36-38 4 3 2 2 M 3 3 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 2 M 3 3	DKC33-37RIB VT2P 84 2575 AVG SF 34-36 3 3 3 3 4 2 T 3 3 3 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 4 2 1 3 3 3 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 4 2 1 3 3 DKC35-34RIB VT2P 85 2575 AVG SF 36-38 2 2 2 4 2 1 3 3 3 DKC35-34RIB VT2P 86 2575 AVG F* 36-38 4 3 2 2 M 3 3 3 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 2 M 3 <t< th=""><th>DKC33-37RIB VT2P 83 2575 AVG SF 34-36 2 2 2 4 2 T 3 4 3 3 3 3 3</th></t<> <th>DKC34-57RIB VT2P 84 2575 AVG SF 34-36 3 4 2 2 4 4 3 2 2 4 4 4 3 2 2 4 4 4 2 2 4 4<!--</th--><th>DKC34-57RIB VT2P 84 2575 AVG F* 36-38 2 2 4 2 7 3<th>DKC33-37RIB VT2P 83 2575 AVG SF 34-36 3 2 2 2 M 3 3 3 3 3 3 3 3 3 3 3 3 3 3 4 4 6 DKC34-57RIB VT2P 83 2500 AVG SF 34-36 3 3 3 2 M-T 3 3 3 3 2 M 3 3 3 3 3 4 ✓ 5 5 5 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 4 ✓ 5 5 5 DKC35-34RIB VT2P 85 2575 AVG SF 36-38 4 3 2 2 M 3 3 3 4 ✓ 4 6 DKC35-34RIB VT2P 85 2575 AVG<th>DKC33-37RIB VT2P 83 2575 AVG SF 34-36 3 3 3 3 3 3 3 3 4 4 6 3 DKC35-34RIB VT2P 85 2575 AVG FF 36-38 2 2 2 2 4 2 T 3 3 3 3 3 3 3 3 3 3 3 4 4 6 3 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 1 3</th><th>DKC35-34RIB VT2P 85 2575 AVG Ft 36-38 4 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 4 A A BEREITY EAR HOLL RAY BY A COMMON MRST.</th><th>DKC35-34RIB VT2P 85 2575 AVG FF 36-38 4 3 2 2 2 M 3 3 3 3 3 3 3 3 3 3 4 4 4 6 3 AAA 4</th><th>DKC34-57RIB VT2P 85 2575 AVG SF 34-36 3 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 3 A A 6 - AMHHAGNOSE STATK ROLL AMTHAGGNOSE STATK ROLL AMTHAGGNOSE STAT</th></th></th></th>	DKC33-37RIB VT2P 83 2575 AVG SF 34-36 2 2 2 4 2 T 3 4 3 3 3 3 3	DKC34-57RIB VT2P 84 2575 AVG SF 34-36 3 4 2 2 4 4 3 2 2 4 4 4 3 2 2 4 4 4 2 2 4 4 </th <th>DKC34-57RIB VT2P 84 2575 AVG F* 36-38 2 2 4 2 7 3<th>DKC33-37RIB VT2P 83 2575 AVG SF 34-36 3 2 2 2 M 3 3 3 3 3 3 3 3 3 3 3 3 3 3 4 4 6 DKC34-57RIB VT2P 83 2500 AVG SF 34-36 3 3 3 2 M-T 3 3 3 3 2 M 3 3 3 3 3 4 ✓ 5 5 5 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 4 ✓ 5 5 5 DKC35-34RIB VT2P 85 2575 AVG SF 36-38 4 3 2 2 M 3 3 3 4 ✓ 4 6 DKC35-34RIB VT2P 85 2575 AVG<th>DKC33-37RIB VT2P 83 2575 AVG SF 34-36 3 3 3 3 3 3 3 3 4 4 6 3 DKC35-34RIB VT2P 85 2575 AVG FF 36-38 2 2 2 2 4 2 T 3 3 3 3 3 3 3 3 3 3 3 4 4 6 3 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 1 3</th><th>DKC35-34RIB VT2P 85 2575 AVG Ft 36-38 4 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 4 A A BEREITY EAR HOLL RAY BY A COMMON MRST.</th><th>DKC35-34RIB VT2P 85 2575 AVG FF 36-38 4 3 2 2 2 M 3 3 3 3 3 3 3 3 3 3 4 4 4 6 3 AAA 4</th><th>DKC34-57RIB VT2P 85 2575 AVG SF 34-36 3 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 3 A A 6 - AMHHAGNOSE STATK ROLL AMTHAGGNOSE STATK ROLL AMTHAGGNOSE STAT</th></th></th>	DKC34-57RIB VT2P 84 2575 AVG F* 36-38 2 2 4 2 7 3 <th>DKC33-37RIB VT2P 83 2575 AVG SF 34-36 3 2 2 2 M 3 3 3 3 3 3 3 3 3 3 3 3 3 3 4 4 6 DKC34-57RIB VT2P 83 2500 AVG SF 34-36 3 3 3 2 M-T 3 3 3 3 2 M 3 3 3 3 3 4 ✓ 5 5 5 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 4 ✓ 5 5 5 DKC35-34RIB VT2P 85 2575 AVG SF 36-38 4 3 2 2 M 3 3 3 4 ✓ 4 6 DKC35-34RIB VT2P 85 2575 AVG<th>DKC33-37RIB VT2P 83 2575 AVG SF 34-36 3 3 3 3 3 3 3 3 4 4 6 3 DKC35-34RIB VT2P 85 2575 AVG FF 36-38 2 2 2 2 4 2 T 3 3 3 3 3 3 3 3 3 3 3 4 4 6 3 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 1 3</th><th>DKC35-34RIB VT2P 85 2575 AVG Ft 36-38 4 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 4 A A BEREITY EAR HOLL RAY BY A COMMON MRST.</th><th>DKC35-34RIB VT2P 85 2575 AVG FF 36-38 4 3 2 2 2 M 3 3 3 3 3 3 3 3 3 3 4 4 4 6 3 AAA 4</th><th>DKC34-57RIB VT2P 85 2575 AVG SF 34-36 3 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 3 A A 6 - AMHHAGNOSE STATK ROLL AMTHAGGNOSE STATK ROLL AMTHAGGNOSE STAT</th></th>	DKC33-37RIB VT2P 83 2575 AVG SF 34-36 3 2 2 2 M 3 3 3 3 3 3 3 3 3 3 3 3 3 3 4 4 6 DKC34-57RIB VT2P 83 2500 AVG SF 34-36 3 3 3 2 M-T 3 3 3 3 2 M 3 3 3 3 3 4 ✓ 5 5 5 DKC35-34RIB VT2P 85 2575 AVG SF 34-36 3 3 3 3 4 ✓ 5 5 5 DKC35-34RIB VT2P 85 2575 AVG SF 36-38 4 3 2 2 M 3 3 3 4 ✓ 4 6 DKC35-34RIB VT2P 85 2575 AVG <th>DKC33-37RIB VT2P 83 2575 AVG SF 34-36 3 3 3 3 3 3 3 3 4 4 6 3 DKC35-34RIB VT2P 85 2575 AVG FF 36-38 2 2 2 2 4 2 T 3 3 3 3 3 3 3 3 3 3 3 4 4 6 3 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 1 3</th> <th>DKC35-34RIB VT2P 85 2575 AVG Ft 36-38 4 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 4 A A BEREITY EAR HOLL RAY BY A COMMON MRST.</th> <th>DKC35-34RIB VT2P 85 2575 AVG FF 36-38 4 3 2 2 2 M 3 3 3 3 3 3 3 3 3 3 4 4 4 6 3 AAA 4</th> <th>DKC34-57RIB VT2P 85 2575 AVG SF 34-36 3 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 3 A A 6 - AMHHAGNOSE STATK ROLL AMTHAGGNOSE STATK ROLL AMTHAGGNOSE STAT</th>	DKC33-37RIB VT2P 83 2575 AVG SF 34-36 3 3 3 3 3 3 3 3 4 4 6 3 DKC35-34RIB VT2P 85 2575 AVG FF 36-38 2 2 2 2 4 2 T 3 3 3 3 3 3 3 3 3 3 3 4 4 6 3 DKC36-48RIB VT2P 86 2600 AVG FL 32-34 3 2 2 1 3	DKC35-34RIB VT2P 85 2575 AVG Ft 36-38 4 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 4 A A BEREITY EAR HOLL RAY BY A COMMON MRST.	DKC35-34RIB VT2P 85 2575 AVG FF 36-38 4 3 2 2 2 M 3 3 3 3 3 3 3 3 3 3 4 4 4 6 3 AAA 4	DKC34-57RIB VT2P 85 2575 AVG SF 34-36 3 3 2 2 2 4 2 T 3 3 3 3 SU 4 6 3 A A 6 - AMHHAGNOSE STATK ROLL AMTHAGGNOSE STATK ROLL AMTHAGGNOSE STAT

LEGEND

F = Fixed SF = Semi-fixed SFL = Semi-flex FL = Flex

PLANT HEIGHT

S = Short M = Medium T = Tall

RATING SCALE

1-2 = Excellent

3-4 = Very Good

5-6 = Good to Average 7-8 = Fair to Poor

9 = Poor

– = Not Available

TRAIT

RR2 = Roundup Ready® Corn 2 SS = SmartStax® RIB Complete® VT2P = VT Double PRO® RIB Complete®

TRE = Trecepta® RIB Complete® GIBBERELLA EAR ROT AND

TAR SPOT RATINGS

AA = Above Average

A = Average **BA** = Below Average - = Not Available

HERBICIDE SAFETY

GR = Adverse effects from Growth Regulator Herbicides (Engenia®, Marksman®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, XtendiMax® with VaporGrip® Technology XtendiMax® 2 with VaporGrip® Technology, 2,4-D)

SU = Adverse effects from sulfonvlurea herbicides (Option®)

= Fither no adverse effects from hvbrid/herbicide combination were noted or only slight damage could be noted under adverse conditions.

The RIB designation refers to a RIB Complete® product

1. 2. 3. 4 = Refer to the References page at the end of this guide for more information

GRAIN CORN



DKC38-55RIB 88 RM 2650 CHU



- Medium-to-tall statured hybrid that flowers early for its relative maturity
- · Performs well on all soil types tested
- · Plant at medium-to-high populations for best results

DKC39-55RIB 89 RM 2725 CHU



- · Excellent emergence and seedling vigour
- · Excellent drydown and test weight
- · Very good stalk and root strength
- Ideal for grain or for silage
- Plant to target 36-38,000 plants per acre on highly productive ground

DKC39-97RIB 89 RM 2700 CHU



- Excellent early-season growth and vigour for early planting
- Excellent drydown and solid agronomics
- · Excellent stalks and roots; girthy ear and very good late-season plant health
- Excellent drought tolerance

90 RM 2725 CHU

SmartStax⁶

- Performs well across all soil types and vield environments tested
- · Plant at higher populations to maximize vield potential

DKC39-54RIB 89 RM 2725 CHU



- · Strong early-season vigour and emergence
- · Stable hybrid in all soil types and yield environments tested
- Excellent stalk strength and test weight

DKC40-95RIB



- Stable hybrid with excellent test weight and drought tolerance
- Potential to excel at higher planting populations
- · Excellent late-season plant health and stalk strength

DKC40-99RIB 90 RM 2725 CHU

Stable hybrid with excellent test weight and drought tolerance

- Potential to excel at higher planting populations
- · Excellent late-season plant health and stalk strength
- A shorter stature hybrid with Trecepta® RIB Complete® for Western bean cutworm control

2024 DEKALB GRAIN CORN AGRONOMIC CHART

HYBRID			F	PLANTIN	IG					GRO	OWTH			H	ARVE	ST		HE	RBICI	DE &	DISE	ASE		SILAGE RATINGS	LEGEND
	TRAIT	RELATIVE MATURITY	СНО	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	TARGET POPULATION ³	EMERGENCE	SEEDLING VIGOUR	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	PLANT HEIGHT	STAYGREEN	DRYDOWN	TEST WEIGHT	HARVEST APPEARANCE	HERBICIDE SAFETY ⁴	NORTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	COMMON RUST	GIBBERELLA EAR ROT	ANTHRACNOSE STALK ROT	TAR SPOT	SILAGE READY	FAR TYPE F = Fixed SF = Semi-fixed SFL = Semi-flex FL = Flex PLANT HEIGHT S = Short M = Medium T = Tall RATING SCALE 1-2 = Excellent 3-4 = Very Good 5-6 = Good to Average 7-8 = Fair to Poor 9 = Poor - = Not Available TRAIT RR2 = Roundup Ready® Corn 2 SS = SmartStax® RIB Complete® V12P = VT Double PRO® RIB Complete®
DKC38-55RIB	VT2P	88	2650	EARLY	SF	32-34	2	3	2	4	2	M-T	3	2	3	4	~	4	4	3	AA	5	-	SLAGE	TRE = Trecepta® RIB Complete® GIBBERELLA EAR ROT AND TAR SPOT RATINGS AA = Above Average
DKC39-97RIB	SS	89	2700	EARLY	F	36-38	2	2	2	2	2	M	3	2	3	3	~	4	4	3	AA	5	-		A = Average BA = Below Average - = Not Available
DKC39-54RIB	SS	89	2725	AVG	SFL	34-36	2	2	3	2	2	M	4	3	2	4	~	4	6	3	А	5	-	READY	HERBICIDE SAFETY GR = Adverse effects from Growth Regulator Herbicides (Engenia Marksman®, Roundup Xtend® with VaporGrip® Technology,
DKC39-55RIB	VT2P	89	2725	EARLY	SFL	34-36	2	2	2	2	3	M	4	2	2	4	~	3	6	3	А	5	-	SILAGE	Roundup Xtend® 2 with Vapor Technology, KtendiMax® with VaporGrip® Technology, XtendiMax® 2 with VaporGrip® Technology, 2,4-D)
DKC40-95RIB	SS	90	2725	EARLY	SF	36-38	2	3	2	2	3	S-M	2	3	3	3	~	4	5	4	А	3	-		SU = Adverse effects from sulfonylu herbicides (Option®) ✓ = Either no adverse effects from hybrid/herbicide combination noted or only slight damage or be noted under adverse condi
DKC40-99RIB	TRE	90	2725	EARLY	SF	36-38	2	3	2	2	3	S-M	2	2	3	3	~	3	6	4	А	3	-		The RIB designation refers to a RIB Complete® product 1, 2, 3, 4 = Refer to the References page at the end of this quilet for more information.

LEGEND

PLANT HEIGHT

RATING SCALE

TRAIT

RR2 = Roundup Ready® Corn 2 SS = SmartStax® RIB Complete® VT2P = VT Double PRO® RIB Complete®

GIBBERELLA EAR ROT AND TAR SPOT RATINGS

HERBICIDE SAFETY

GR = Adverse effects from Growth Regulator Herbicides (Engenia®, Marksman®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, XtendiMax® with VaporGrip® Technology XtendiMax® 2 with VaporGrip® Technology, 2,4-D)

SU = Adverse effects from sulfonvlurea herbicides (Option®)

= Fither no adverse effects from hvbrid/herbicide combination were noted or only slight damage could be noted under adverse conditions.

Data compiled from Bayer conducted field trials.

*Denotes a limited data set



DKC42-04RIB 92 RM 2800 CHU



- · Excellent seedling vigour
- · Excellent drought tolerance and good overall stress tolerance
- · A tall plant with great ear flex
- · Very good drydown
- · An ideal choice for corn-on-corn areas

DKC42-05RIB 92 RM 2800 CHU





- Excellent seedling vigour
- Excellent drought tolerance and good overall stress tolerance
- A tall plant with great ear flex
- Excellent drydown

DKC42-90RIB 92 RM 2800 CHU





- Excellent top end yield potential
- Excellent late-season stalks
- Very good test weight
- Excellent drydown
- Very good drought tolerance
- An application of Delaro® Complete fungicide is recommended if conditions are conducive to tar spot development

DKC44-80RIB 94 RM 2850 CHU



- · Strong performance across all yield zones tested
- · Great ear flex to compensate in lower plant populations
- Excellent emergence and seedling vigour
- · Plant at medium populations for best results
- · Performs best on clay and loam soil types
- Excellent drydown

DKC45-35RIB

VTDoublepro

- Excellent seedling vigour and emergence for early planting
- Medium planting populations recommended; consider increasing populations when coupled with high management
- Strong late-season plant health
- · Strong test weight

2024 DEKALB GRAIN CORN AGRONOMIC CHART

HYBRID			F	PLANTIN	IG					GRO	OWTH			H	ARVE	ST		HE	RBICI	DE &	DISE	ASE		SILAGE RATINGS
	TRAIT	RELATIVE MATURITY	CHU	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	TARGET POPULATION ³	EMERGENCE	SEEDLING VIGOUR	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	PLANT HEIGHT	STAYGREEN	DRYDOWN	TEST WEIGHT	HARVEST APPEARANCE	HERBICIDE SAFETY ⁴	NORTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	COMMON RUST	GIBBERELLA EAR ROT	ANTHRACNOSE STALK ROT	TAR SPOT	SILAGE READY
DKC42-04RIB	SS	92	2800	AVG	SFL	32-34	3	2	3	4	2	Т	3	2	3	3	~	4	5	3	AA	5	А	READY
DKC42-05RIB	VT2P	92	2800	AVG	SFL	32-34	3	2	3	4	2	Т	2	2	3	3	~	4	5	3	AA	5	А	READY
DKC42-90RIB	VT2P	92	2800	AVG	SF*	34-36	3	3	3	2	3	M	3	2	2	3	~	4	5	3	А	2	ВА	
DKC44-80RIB	VT2P	94	2850	EARLY	FL	32-34	2	2	3	5	3	Т	3	2	4	3	~	5	5	3	AA	2	А	READY
DKC45-35RIB	VT2P	95	2875	AVG	SF*	34-36	2	2	2	4	3	M-T	3	3	3	2	~	5	5	3	А	2	А	

Data compiled from Bayer conducted field trials. *Denotes a limited data set

LEGEND

= Fixed SF = Semi-fixed FL = Semi-flex FL = Flex

PLANT HEIGHT

S = Short **M** = Medium **T** = Tall

RATING SCALE

1-2 = Excellent

-4 = Very Good

-6 = Good to Average -8 = Fair to Poor

= Poor

= Not Available

RAIT

RR2 = Roundup Ready® Corn 2 S = SmartStax® RIB Complete® T2P = VT Double PRO® RIB Complete®

RE = Trecepta® RIB Complete®

SIBBERELLA EAR ROT AND TAR SPOT RATINGS

A = Above Average = Average

BA = Below Average = Not Available

IERBICIDE SAFETY

R = Adverse effects from Growth Regulator Herbicides (Engenia®, Marksman®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, XtendiMax® with VaporGrip® Technology XtendiMax® 2 with VaporGrip® Technology, 2,4-D)

U = Adverse effects from sulfonvlurea herbicides (Option®)

 Fither no adverse effects from hvbrid/herbicide combination were noted or only slight damage could be noted under adverse conditions.

The RIB designation refers to a RIB Complete® product



DKC45-74RIB









- Excellent staygreen and late-season harvest appearance
- Very strong test weight
- Performs best on clay and loam soil types
- Ideal for grain or for silage
- An application of Delaro® Complete fungicide is recommended if conditions are conducive to tar spot development

| *DKC48-08RIB* 98 RM 2950 CHU



- Excellent yield potential and grain quality potential
- Excellent stalk strength
- Very strong test weight
- Excellent late-season harvest appearance

DKC46-40RIB 96 RM 2875 CHU



- · Early flowering hybrid
- Excellent seedling vigour
- Very good root and stalk strength
- · Excellent drydown and test weight with very good harvest appearance
- Plant to target 34-36,000 plants per acre on highly productive ground

DKC46-50RIB 96 RM 2900 CHU



- Strong seedling vigour and emergence
- Excellent drydown and test weight
- · Excellent stalk strength with top end vield potential

DKC48-56RIB 98 RM 2950 CHU







- Strong, stable performing hybrid
- Top end yield potential
- · Clean grain with excellent test weight
- Performs best on productive soils
- Excellent choice for corn-on-corn or rotated ground
- · An application of Delaro Complete fungicide is recommended if conditions are conducive to tar spot development

DKC48-70RIB 98 RM 2950 CHU



- Excellent seedling vigour
- Excellent staygreen
- Excellent drydown and harvest appearance
- Plant to target 32-34,000 plants per acre on highly productive ground
- An application of Delaro Complete fungicide is recommended if conditions are conducive to tar spot development

2024 DEKALB GRAIN CORN AGRONOMIC CHART

				RITY																				
	TRAIT	RELATIVE MATURITY ¹	СНО	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	TARGET POPULATION³	EMERGENCE	SEEDLING VIGOUR	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	PLANT HEIGHT	STAYGREEN	DRYDOWN	TEST WEIGHT	HARVEST APPEARANCE	HERBICIDE SAFETY ⁴	NORTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	COMMON RUST	GIBBERELLA EAR ROT	ANTHRACNOSE STALK ROT	TAR SPOT	SILAGE READY
C45-74RIB	SS	95	2875	AVG	SF*	34-36	2	2	3	3	3	M-T	2	3	3	2	~	5	6	3	А	2	ВА	READY
C46-40RIB	VT2P	96	2875	EARLY	SFL	34-36	3	2	2	3	3	Т	3	2	3	3	~	5	6	3	А	3	А	SILAGE
246-50RIB	SS	96	2900	AVG	FL	34-36	3	2	2	2	3	M-T	4	2	2	3	~	3	5	3	А	3	А	
248-08RIB	SS	98	2950	AVG	FL*	32-34	2	3	3	3	2	M	3	3	2	2	~	5	5	3	AA	2	А	
C48-56RIB	SS	98	2950	EARLY	SF	36-38	3	3	3	2	3	M-T	2	3	2	2	GR	4	4	4	AA	6	ВА	READY
C48-70RIB	TRE	98	2950	EARLY	SFL	32-34	3	3	2	4	3	M	2	2	3	2	~	5	6	3	BA	4	BA	
	46-40RIB 46-50RIB 48-08RIB 48-56RIB	45-74RIB SS 46-40RIB VT2P 46-50RIB SS 48-08RIB SS 48-56RIB SS	45-74RIB SS 95 46-40RIB VT2P 96 46-50RIB SS 96 48-08RIB SS 98 48-56RIB SS 98	45-74RIB SS 95 2875 46-40RIB VT2P 96 2875 46-50RIB SS 96 2900 48-08RIB SS 98 2950 48-56RIB SS 98 2950	45-74RIB SS 95 2875 AVG 46-40RIB VT2P 96 2875 EARLY 46-50RIB SS 96 2900 AVG 48-08RIB SS 98 2950 AVG 48-56RIB SS 98 2950 EARLY	45-74RIB SS 95 2875 AVG SF* 46-40RIB VT2P 96 2875 EARLY SFL 46-50RIB SS 96 2900 AVG FL 48-08RIB SS 98 2950 AVG FL* 48-56RIB SS 98 2950 EARLY SF	Head Head	Hard Hard	HA HA HA HA HA HA HA HA	HAL HS HS HS HS HS HS HS H	Hart Hart	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 3 2 3 48-56RIB SS 98 2950 EARLY SF 36-38 3 3 3 2 3	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 3 M-T 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 3 2 M-T 48-56RIB SS 98 2950 EARLY SF 36-38 3 3 3 2 3 M-T	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 3 M-T 2 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 3 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 4 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 2 M 3 48-56RIB SS 98 2950 EARLY SF 36-38 3 3 3 2 3 M-T 2	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 M-T 2 3 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 3 2 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 4 2 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 2 M 3 3 48-56RIB SS 98 2950 EARLY SF 36-38 3 3 3 2 3 M-T 2 3	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 M-T 2 3 3 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 3 2 3 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 4 2 2 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 3 2 M 3 3 2 48-56RIB SS 98 2950 EARLY SF 36-38 3 3 3 2 3 M-T 2 3 2	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 M-T 2 3 3 2 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 3 2 3 3 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 4 2 2 3 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 2 M-T 4 2 2 3 48-56RIB SS 98 2950 EARLY SF 36-38 3 3 3 2 3 M-T 2 3 2 2	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 3 M-T 2 3 3 2 ✓ 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 3 2 3 3 ✓ 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 4 2 2 3 ✓ 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 3 2 M 3 3 2 2 2 GR	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 M-T 2 3 3 2 ✓ 5 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 3 2 3 3 ✓ 5 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 4 2 2 3 ✓ 3 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 3 2 M 3 2 M 3 3 2 2 6 FL 48-56RIB SS 98 2950 EARLY SF 36-38 3 3 3 2 3 M-T 2 3 2 2 GR 4	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 3 M-T 2 3 3 2 ✓ 5 6 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 3 2 3 3 ✓ 5 6 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 4 2 2 3 ✓ 3 5 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 3 2 M 3 2 M 3 3 2 2 2 GR 4 4 48-56RIB SS 98 2950 EARLY SF 36-38 3 3 3 2 3 M-T 2 3 2 2 GR 4 4	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 M-T 2 3 3 2 ✓ 5 6 3 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 3 2 3 3 ✓ 5 6 3 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 4 2 2 3 ✓ 5 6 3 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 2 M 3 3 2 2 3 3 3 2 M-T 4 2 2 3 5 5 3 48-56RIB SS 98 2950 EARLY SFL 32-34 3 3 2 3 M-T 2 3 2 2 GR 4	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 3 M-T 2 3 3 2 ✓ 5 6 3 A 46-40RIB VT2P 96 2875 EARLY SFL 34-36 3 2 2 3 3 T 3 2 3 3 ✓ 5 6 3 A 46-50RIB SS 96 2900 AVG FL 34-36 3 2 2 2 3 M-T 4 2 2 3 5 6 3 A 48-08RIB SS 98 2950 AVG FL* 32-34 2 3 3 2 M-T 4 2 2 3 4 4 A 48-56RIB SS 98 2950 EARLY SFL 32-34 3 3 2 3 M-T 2 3 2 GR 4 4 4 A 48-70RIB TRE	A5-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 3 T 3 2 3 3 2 V 5 6 3 A 2	45-74RIB SS 95 2875 AVG SF* 34-36 2 2 3 3 3 T 3 2 SEDITING ALGORIBA SS 98 2950 AVG FL* 32-34 2 3 3 2 2 3 M-T 2 3 2 2 GR 4 4 4 4 AA 66 BA 48-56RIB SS 98 2950 EARLY SF 36-38 3 3 3 2 3 M-T 2 3 2 2 GR 4 4 4 A AA 6 BA

LEGEND

F = Fixed SF = Semi-fixed SFL = Semi-flex FL = Flex

PLANT HEIGHT

S = Short M = Medium T = Tall

RATING SCALE

1-2 = Excellent

3-4 = Very Good

5-6 = Good to Average 7-8 = Fair to Poor

9 = Poor

– = Not Available

TRAIT

RR2 = Roundup Ready® Corn 2 SS = SmartStax® RIB Complete® VT2P = VT Double PRO® RIB Complete® TRE = Trecepta® RIB Complete®

GIBBERELLA EAR ROT AND TAR SPOT RATINGS

AA = Above Average

A = Average **BA** = Below Average

- = Not Available HERBICIDE SAFETY

GR = Adverse effects from Growth Regulator Herbicides (Engenia®, Marksman®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, XtendiMax® with VaporGrip® Technology XtendiMax® 2 with VaporGrip® Technology, 2,4-D)

SU = Adverse effects from sulfonvlurea herbicides (Option®)

= Fither no adverse effects from hvbrid/herbicide combination were noted or only slight damage could be noted under adverse conditions.

The RIB designation refers to a RIB Complete® product

1. 2. 3. 4 = Refer to the References page at the end of this guide for more information

Data compiled from Bayer conducted field trials. *Denotes a limited data set



New naming system begins here

DKC49-09RIB 99 RM 2975 CHU



- · Excellent seedling vigour
- Tall hybrid with a great dual-purpose silage fit
- Excellent drought tolerance
- · Excellent drydown and performs well across all yield environments tested
- Plant at medium-to-high populations for best results

| *DKC101-35RIB* 101 RM 3075 CHU





- Excellent top end yield potential
- Shorter plant stature with good agronomics and late-season staygreen
- Good stalk strength
- An application of Delaro Complete fungicide is recommended if conditions are conducive to tar spot development

DKC50-30RIB 100 RM 3050 CHU




- Strong seedling vigour and emergence for early planting
- Consistent performance across all soil types tested and solid test weight
- Improved stalk strength and staygreen compared to other DEKALB® hybrids in this RM range
- · An application of Delaro® Complete fungicide is recommended if conditions are conducive to tar spot development

DKC101-14RIB 01 RM 3075 CHU SmartStax®

- · Very good seedling vigour and emergence
- Very good stalk strength
- Clean grain with very strong test weight

DKC52-52RIB 102 RM 3100 CHU





- Superior late-season plant health and staygreen
- Strong stalk strength

DKC52-84RIB 102 RM 3100 CHU

SmartStax®

- Widely adapted hybrid with high yield potential; good stability in stress conditions
- Excellent roots and stalks
- Very good late-season appearance and intactness
- Open husk, semi-fixed ear with excellent drydown
- Potential to perform best at higher populations
- · Performs best when planted into warm, fit soil conditions

2024 DEKALB GRAIN CORN AGRONOMIC CHART

	HYBRID			F	PLANTIN	IG					GRO	WTH	1		H	ARVE	ST		HE	RBICI	DE &	DISE	ASE		SILAGE RATINGS	LEGEN
		TRAIT	RELATIVE MATURITY ¹	CHU	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	TARGET POPULATION ³	EMERGENCE	SEEDLING VIGOUR	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	PLANT HEIGHT	STAYGREEN	DRYDOWN	TEST WEIGHT	HARVEST APPEARANCE	HERBICIDE SAFETY ⁴	NORTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	COMMON RUST	GIBBERELLA EAR ROT	ANTHRACNOSE STALK ROT	TAR SPOT	SILAGE READY	F= Fixed SF = Sem SFL = Semi-flex FL PLANT HEIGHT S = Short M = Medi RATING SCALE 1-2 = Excellent 3-4 = Very Good 5-6 = Good to Avera 7-8 = Fair to Poor 9 = Poor - = Not Available TRAIT RR2 = Roundup Rea SS = SmartStax® RIE VT2P = VT Double PI VT2P = VT Double PI
	DKC49-09RIB	VT2P	99	2975	EARLY	FL	32-34	2	2	3	3	2	Т	2	2	2	3	~	5	5	3	AA	1	А	READY	TRE = Trecepta® RIE GIBBERELLA EL TAR SPOT RATIO
	DKC50-30RIB	SS	100	3050	LATE	FL	32-34	2	2	2	2	3	M	2	2	3	2	~	5	5	3	AA	3	BA		AA = Above Average A = Average BA = Below Average - = Not Available
W	DKC101-14RIB	SS	101	3075	AVG	FL*	32-34	2	2	3	2	4	M	3	3	3	3	~	5	6	3	А	2	А		HERBICIDE SAN GR = Adverse effect Regulator Her Marksman®, F with VaporGrip
W	DKC101-35RIB	VT2P	101	3075	LATE	SF*	34-36	3	3	3	3	2	S-M	3	3	5	3	~	4	5	3	BA	3	ВА		Roundup Xten Technology, X with VaporGrip XtendiMax® 2 Technology, 2
	DKC52-52RIB	SS	102	3100	AVG	SFL	34-36	2	2	4	3	3	S-M	2	3	4	3	~	4	5	3	BA	4	А	SILAGE	SU = Adverse effect herbicides (Op ✓ = Either no adve hybrid/herbiciden noted or only s
	DKC52-84RIB	SS	102	3100	EARLY	SF	36-38	5	5	2	1	2	M	3	2	4	3	~	3	6	3	AA	5	А		be noted unde The RIB designation RIB Complete® produ 1, 2, 3, 4 = Refer to ti page at the

LEGEND

F = Fixed SF = Semi-fixed SFL = Semi-flex FL = Flex

PLANT HEIGHT

S = Short M = Medium T = Tall

RATING SCALE

3-4 = Very Good 5-6 = Good to Average

TRAIT

RR2 = Roundup Ready® Corn 2 SS = SmartStax® RIB Complete® VT2P = VT Double PRO® RIB Complete® TRE = Trecepta® RIB Complete®

GIBBERELLA EAR ROT AND TAR SPOT RATINGS

HERBICIDE SAFETY

GR = Adverse effects from Growth Regulator Herbicides (Engenia®, Marksman®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, XtendiMax® with VaporGrip® Technology XtendiMax® 2 with VaporGrip® Technology, 2,4-D)

SU = Adverse effects from sulfonvlurea herbicides (Option®)

= Fither no adverse effects from hvbrid/herbicide combination were noted or only slight damage could be noted under adverse conditions

The RIB designation refers to a RIB Complete® product

Data compiled from Bayer conducted field trials.

*Denotes a limited data set

1. 2. 3. 4 = Refer to the References page at the end of this quide for more information

GRAIN CORN



DKC53-60RIB 103 RM 3125 CHU

Trecepta

- Trecepta® RIB Complete® for Western bean cutworm control
- Short stature plant with top end yield potential
- Very quick drydown

DKC53-87RIB 103 RM 3125 CHU



- Excellent test weight
- Performs well at harvest with very good drydown and harvest appearance
- · Plant at medium-high populations for best results
- Very good protection against common rust

DKC54-77RIB 104 RM 3150 CHU



- Excellent emergence
- · Excellent seedling vigour and root strength
- · Performs well at harvest with excellent drydown and test weight
- Strong silage potential

)KC105-35RIB 05 RM 3175 CHU

TDoubleppn

- Excellent top end yield potential
- Excellent seedling vigour and emergence
- Very good stalk strength
- Excellent late-season plant health and harvest appearance

DKC56-15RIB 106 RM 3175 CHU





- · Excellent emergence and seedling vigour
- Tall plant with excellent staygreen and late-season plant health
- Excellent drydown and harvest appearance
- Plant to target 34-36,000 plants per acre on highly productive ground

DKC56-65RIB 106 RM 3200 CHU





- Excellent emergence and seedling vigour
- Excellent stalk strength
- Excellent staygreen and very good harvest appearance
- Plant to target 36-38,000 plants per acre on highly productive ground

2024 DEKALB GRAIN CORN AGRONOMIC CHART

HYBRID			P	PLANTIN	IG					GRO	WTH	1		H	4 <i>RVE</i>	ST		HE	RBICI	DE &	DISE	ASE		SILAGE RATINGS	LEGEND
	TRAIT	RELATIVE MATURITY	СНИ	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	TARGET POPULATION ³	EMERGENCE	SEEDLING VIGOUR	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	PLANT HEIGHT	STAYGREEN	DRYDOWN	TEST WEIGHT	HARVEST APPEARANCE	HERBICIDE SAFETY ⁴	NORTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	COMMON RUST	GIBBERELLA EAR ROT	ANTHRACNOSE STALK ROT	TAR SPOT	SILAGE READY	EAR TYPE F = Fixed SF = Semi-fixed SFL = Semi-fixe FL = Flex PLANT HEIGHT S = Short M = Medium T RATING SCALE 1-2 = Excellent 3-4 = Very Good 5-6 = Good to Average 7-8 = Fair to Poor 9 = Poor - = Not Available TRAIT RR2 = Roundup Ready® Col SS = SmartStax® RIB Comp YT2P = VT Double PRO® RIE
DKC53-60RIB	TRE	103	3125	AVG	FL	32-34	2	2	2	4	3	S-M	3	2	3	4	~	5	4	3	А	4	AA		TRE = Trecepta® RIB Compl GIBBERELLA EAR RO TAR SPOT RATINGS
DKC53-87RIB	SS	103	3125	LATE	SF	36-38	4	4	4	5	4	M	5	3	2	4	~	4	5	3	А	4	А		AA = Above Average A = Average BA = Below Average - = Not Available
DKC54-77RIB	VT2P	104	3150	EARLY	SFL	34-36	1	1	2	4	4	M	4	2	2	5	~	4	4	3	Α	3	А	SIL AGE READY	HERBICIDE SAFETY GR = Adverse effects from Properties Regulator Herbicides Marksman®, Roundur with VaporGrip® Tech
DKC105-35RIB	VT2P	105	3175	AVG	SFL*	34-36	2	2	4	3	3	M-T	2	3	4	2	~	4	5	3	ВА	2	А		Roundup Xtend® 2 wit Technology, XtendiMa with VaporGrip® Tech XtendiMax® 2 with Vaj Technology, 2,4-D)
DKC56-15RIB	TRE	106	3175	AVG	FL	32-34	2	2	3	3	3	Т	2	2	4	2	~	3	4	3	ВА	4	AA	N SILAGE READY	SU = Adverse effects from s herbicides (Option®) ✓ = Either no adverse effet hybrid/herbicide comb noted or only slight da be noted under advers
DKC56-65RIB	SS	106	3200	AVG	SF	36-38	2	3	3	2	4	S-M	2	4	4	3	~	3	4	3	A	3	A	SILAGE READY	The RIB designation refers to RIB Complete® product 1, 2, 3, 4 = Refer to the Reference page at the end of the RIB complete for the RI

LEGEND

PLANT HEIGHT

S = Short **M** = Medium **T** = Tall

RATING SCALE

RAIT

RR2 = Roundup Ready® Corn 2 S = SmartStax® RIB Complete® T2P = VT Double PRO® RIB Complete®

RE = Trecepta® RIB Complete®

SIBBERELLA EAR ROT AND AR SPOT RATINGS

= Not Available

R = Adverse effects from Growth Regulator Herbicides (Engenia®, Marksman®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, XtendiMax® with VaporGrip® Technology XtendiMax® 2 with VaporGrip® Technology, 2,4-D)

U = Adverse effects from sulfonvlurea herbicides (Option®)

 Fither no adverse effects from hvbrid/herbicide combination were noted or only slight damage could be noted under adverse conditions.

. 2. 3. 4 = Refer to the References page at the end of this guide for more information

Data compiled from Bayer conducted field trials. *Denotes a limited data set GRAIN CORN



DKC58-64RIB 108 RM 3250 CHU



- Target mid-range populations for best performance with a semi-flex ear type
- Keep management high to maximize product performance
- Excellent drydown

DKC59-82RIB 109 RM 3275 CHU



- Has shown very consistent ear development even under stress
- Push plant populations to maximize yield potential
- Has shown stability across all soil types tested

2024 DEKALB GRAIN CORN AGRONOMIC CHART

HYBRID			P	LANTIN	IG					GRC	OWTH			H	4RVE	ST		HEI	RBICI	DE &	DISE	ASE		SILAGE RATINGS
	TRAIT	RELATIVE MATURITY¹	СНО	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	TARGET POPULATION ³	EMERGENCE	SEEDLING VIGOUR	ROOT STRENGTH	STALK STRENGTH	DROUGHT TOLERANCE	PLANT HEIGHT	STAYGREEN	DRYDOWN	TEST WEIGHT	HARVEST APPEARANCE	HERBICIDE SAFETY ⁴	NORTHERN CORN LEAF BLIGHT	GRAY LEAF SPOT	COMMON RUST	GIBBERELLA EAR ROT	ANTHRACNOSE STALK ROT	TAR SPOT	SILAGE READY
DKC58-64RIB	SS	108	3250	AVG	SFL	34-36	3	2	3	3	3	M	3	2	3	3	~	3	5	3	А	4	А	SILAGE
DKC59-82RIB	VT2P	109	3275	AVG	F	36-38	3	2	3	3	2	M	3	3	4	3	~	4	4	3	AA	5	А	READY

Data compiled from Bayer conducted field trials. *Denotes a limited data set

LEGEND

AR TYPE

F = Fixed SF = Semi-fixed SFL = Semi-flex FL = Flex

PLANT HEIGHT

 $\mathbf{S} = \text{Short} \quad \mathbf{M} = \text{Medium} \quad \mathbf{T} = \text{Tall}$

RATING SCALE

1-2 = Excellent

3-4 = Very Good **5-6** = Good to Average

7-8 = Fair to Poor

9 = Poor

- = Not Available

- = Not Availabl

TRAIT

RR2 = Roundup Ready® Corn 2
SS = SmartStax® RIB Complete®
VT2P = VT Double PRO® RIB Complete®

VT2P = VT Double PRO® RIB Complete®

TRE = Trecepta® RIB Complete®

GIBBERELLA EAR ROT AND TAR SPOT RATINGS

AA = Above Average A = Average

BA = Below Average

- = Not Available

HERBICIDE SAFETY

GR = Adverse effects from Growth
Regulator Herbicides (Engenia®,
Marksman®, Roundup Xtend®
with VaporGrip® Technology,
Roundup Xtend® 2 with VaporGrip®
Technology, XtendiMax®
with VaporGrip® Technology,
XtendiMax® 2 with VaporGrip®
Technology, 2.4-D)

SU = Adverse effects from sulfonylurea herbicides (Option®)

 Either no adverse effects from hybrid/herbicide combination were noted or only slight damage could be noted under adverse conditions.

The RIB designation refers to a RIB Complete® product

Note: Please consult the individual product labels to ensure that your specific pest is controlled/ suppressed in the appropriate crop.

CORVUS HERBICIDE PROVIDES OUTSTANDING BROAD SPECTRUM WEED CONTROL IN CORN

Corvus® herbicide provides outstanding control of a broad spectrum of tough broadleaf and grass weeds in field and seed corn.


WITH CORVUS YOU GET:

- Three levels of control of a broad spectrum of broadleaf and grass weeds:
- Rapid burndown for emerged weeds
- Residual control to prevent newly emerging weeds
- Reactivation with rain for prolonged weed control
- Flexibility in application timing can be applied pre-emerge, pre-plant incorporated or early post-emerge (up to 2 leaf)
- · Excellent tank-mixing options for additional modes of action against glyphosate-resistant weeds

Weed Control – Corvus Performs

28 Days After Pre-emerge Application

+ ½ PROLINE



Source: 2021 & 2022 Eastern Canada Market Development trials (16 locations). A total of 65 weed hits, 43 broadleaves and 22 grasses. Predominate species being lamb's-quarters (16), redroot pigweed (8) and yellow foxtail (4). Treatment means are significantly different at P≤0.05. Your results may vary according to agronomic, environmental and pest pressure variables.



LAUDIS HERBICIDE OFFERS THE BROADLEAF WEED CONTROL YOU NEED WITH EXCEPTIONAL CROP SAFETY


For fast acting and powerful control of tough broadleaf weeds such as Canada fleabane, giant ragweed and waterhemp, choose Laudis® herbicide.



WITH LAUDIS YOU GET:

- Fast acting post emergence broadleaf weed control, including tough weeds like Canada fleabane, giant ragweed and waterhemp
- Built-in safener for exceptional crop safety on field corn and sweet corn
- Favourable rotation intervals for soybeans, potatoes, spring wheat and winter wheat
- Excellent resistance management tool and tank-mix partner with Pardner® herbicide and Roundup® herbicide brands


LAUDIS EFFICACY: ALL WEEDS TESTED



Three Year Summary: 28-35 Days after Application

Source: 2020-2022 Eastern Canada Market Development (24 locations). A total of 97 weed hits. Predominate species being lamb S-quarters (22), redroot pliqweed (1/4) and yellow footing (1/6). Treatment means are significantly different at P<0.05. Your results may vary according to agronomic, environmental and pest pressure variables.

LAUDIS EFFICACY: ALL WEEDS TESTED



Two Year Summary: 28-35 Days after Application

Source: 2021-2022 Eastern Canada Market Development (17 locations). A total of 66 weed hits. Predominate species being lamb's-quarters (16), redroot pigweed (10) and yellow foxtail (7). Treatment means are significantly different at P-0.05. Your results may vary according to agronomic, environmental and pest pressure variables.

DELARO COMPLETE OUT TOUGHS THE TOUGHEST CORN AND SOYBEAN DISEASES


Triple-action Delaro® Complete fungicide adds an additional mode of action for even better protection against major corn and soybean diseases including control of tar spot and protection against white mould.

DELAROComplete

WITH DELARO COMPLETE YOU GET:


- Three modes of action (prothioconazole (Group 3) + trifloxystrobin (Group 11) + fluopyram (Group 7)) for excellent protection in high disease pressure situations
- Excellent control of yield-robbing diseases such as tar spot, common rust, eye spot and Northern corn leaf blight
- For leaf disease control and DON management, apply Delaro Complete at R1 (silking) with a ½ rate of Proline® fungicide

DID YOU KNOW? Tar spot can sometimes be mistaken for insect frass or other diseases. To test for tar spot, wet the leaf then rub with your fingers. Tar spot cannot be scraped off the leaf surface.



Yield performance in corn field after application of Delaro Complete

CORN FUNGICIDE TRIALS: YIELD RESULTS FROM VT APPLICATION



VI Fungicide 3-Year Summ

Source: 25 Bayer Market Development Trials (2019-2021).
Your results may vary depending on agronomic, environmental and pest pressure variables.

DATA DRIVEN SEED PRESCRIPTIONS

FIELDVIEW

Scripting your DEKALB® corn hybrids lets you accurately identify management zones and generate hybrid and field-specific plans to help meet your yield or profitability goals. Use the FieldView™ Seed Scripts tool to create corn seeding rate prescriptions tailored to your individual needs – or upload your own seed scripts into FieldView.

The Seed Scripts tool combines satellite imagery, historical field data and proprietary Market Development trial results.

These trials are located across Canada to generate local results that are relevant to your fields, hybrids and crop inputs.

Check out the benefits of using FieldView Seed Scripts with your DEKALB hybrids:



Takes less than six minutes, on average, to create a prescription



Repeatable seeding zones created in seconds, using your historical yield or Field Health Imagery



Gives you science-driven seeding rates



TO HARVEST

Easily collaborate with your agronomist or dealer on seeding prescriptions



Fully customizable recommendations

A lot of decisions go into your fields every year. With data driven advice from your DEKALB advisor, execute the crop plan tailored for your fields using FieldView.

TRACK YOUR SEED FROM PLANTING

Monitor seed performance throughout the season from anywhere on your mobile device or tablet. Review critical factors that may have impacted your field throughout the year to choose your hybrid or variety for next season.

See how a script was created for a corn hybrid and how FieldView can be used throughout the season to assess field performance:



Custom seed population prescription created for a corn hybrid in FieldView Seed Scripts






Harvest: View and assess the yield by specific population zone

RECOMMENDATIONS FOR CONTROLLING GIBBERELLA EAR ROT AND A WIDE RANGE OF LEAF DISEASES INCLUDE:



- Planting multiple hybrids on your farm
- To get the most out of your fungicide application, it is imperative to understand your field-level weather conditions for each season
- Use the FieldView™ weather feature to see historical, daily and season-to-date precipitation amounts to identify which fields to scout for disease development
- Applying Proline® fungicide and Delaro® Complete fungicide at silking is recommended if conditions are conducive to tar spot and DON/gibberella ear rot development
- Scout at Day 0 (early R1) when the first silks are present outside the husk
- For hybrids with a below average tar spot rating, use Delaro Complete
- Aim to apply when there are plentiful, wet silks on the main ear





HIGH MILK YIELD POTENTIAL AND QUALITY ON EVERY ACRE YOU GROW

The DEKALB® brand includes seed with the potential to produce high-quality silage with high milk yield potential per acre. Silage Ready™ hybrids are selected on our research farms and are tested for several years on hundreds of plots across Eastern Canada. You can expect hybrids with excellent agronomic characteristics, high yield potential, very good fibre digestibility, very high energy levels and the potential for very good Milk per Tonne and Milk per Acre.

NUTRITIONAL ANALYSIS

DEKALB seed includes a range of dual-purpose corn hybrids with exceptional agronomic characteristics, the result of breeding efforts based on many plots. Hundreds of silage samples are sent each year for laboratory analysis using the MILK2006 model developed by the University of Wisconsin. The model provides a silage quality index (kilograms of Milk per Tonne of silage), as well as a silage quality index based on yield (kilograms of Milk per Acre).

YIELD + QUALITY = FEED VALUE

Approximately 60% of yield is from the ear:

- 40 to 45% is from the grain
- 15 to 20% is from the rest (shank and husk)

The primary component of the ear is starch:

- Responsible for approximately 45% of all dispensable energy in silage
- Starch is 70 to 95% digestible

Approximately 40% of yield is from the stem and leaves:


- 20 to 25% is from the stem
- 15% is from the leaves

The primary component of the stem and leaves is digestible Neutral Detergent Fibre (NDF)

- Responsible for approximately 25% of all dispensable in silage
- NDF is 40 to 70% digestible

A GOOD SILAGE CORN PRODUCT HAS:

- High Milk per Tonne (MPT)
 High Milk per Acre (MPA)
- High silage yield
- High Neutral Detergent Fibre (NDF) digestibility







READY WHAT IS SILAGE READY?

DUAL-PURPOSE CORN HYBRIDS

DEKALB® offers a range of dual-purpose corn hybrids that can either be harvested for grain or silage, giving you great flexibility of use at the end of the season. It is not necessarily the best grain corn hybrids that make the best silage hybrids, but a good silage hybrid is often a product with a very good grain yield. In fact, grain accounts for nearly 60% of dry matter and it is from grain that a large portion of energy comes (45%). Hybrid size/height is also not necessarily related to final yield: a shorter hybrid with a larger ear can yield more silage than a larger, very leafy hybrid with a smaller ear.

DEKALB corn hybrids are bred for grain and tested for silage qualities after commercialization. As a result, all products in the DEKALB Silage Ready™ lineup are dual-purpose.

The benefits of this include:

- Combining high digestibility with high energy content
- Allowing more flexibility to foster maximum whole-farm profitability
- Simplifying management
- Bayer traits offer insect and crop protection leading to higher yield potential

DEKALB SILAGE READY HYBRIDS OFFER:

- Strong agronomic traits
- High yield potential
- High NDF digestibility
- High starch (digestible starch)
- High Milk per Tonne and Milk per Acre potential

DEKALB SILAGE READY HYBRIDS ARE DETERMINED BY:

- Evaluating experimental and commercial corn hybrids every year
- Taking a silage sample of each hybrid and testing for key information with a focus on milk or beef per acre for maximum return on your farm
- Predicting milk and meat production potential using tools such as the MILK2006 model from the University of Wisconsin
- After extensive local testing against market-leading silage checks, select DEKALB products are designated as Silage Ready

HOW DO WE RATE DEKALB SILAGE READY **HYBRIDS?**

- The rating for a given hybrid's attributes is determined through our Canadian Market Development testing program of randomized and replicated plots
- A hybrid needs to have demonstrated high yield attributes in its respective growing zone, measured as tonnage, corrected to 65% standard moisture (TM65%) and milk/acre measured as pounds of milk produced per acre
- Hybrids undergo local testing through the Bayer Market Development group to ensure consistency of performance

THE DEKALB SILAGE TESTING PROGRAM

MORE RESEARCH LEADING TO BETTER DECISIONS

The agronomic traits of DEKALB® hybrids are just as important for silage as they are for grain. Our priority is to bring to market silage hybrids with superior qualities such as spring vigour, stalk and root strength, staygreen and stress tolerance. More than 2,000 plots of grain corn and silage have been established in the last 5 years in Quebec and Ontario alone to evaluate the performance of our hybrids and their agronomic strengths. These plots are established on farms locally to gain insight and meet the needs of farmers. Bayer agronomists use the plots to rigorously evaluate each hybrid throughout the season.

- The Bayer Market Development team plants hundreds of test plots annually, collecting specific silage data including digestible NDF, MPT and MPA data
- · We work in partnership with Canadian testing facilities and communicate with US colleagues to make sure our testing program delivers relevant and accurate information
- Bayer continues to develop new and improved methods for analysis of higher quality potential silage products

EXPERT DEKALB SUPPORT YOU CAN TRUST

- · Silage products backed by dedicated agronomists, sales and support staff
- Genetics sourced globally and tested locally for maturity, disease and insect resistance
- Researched and field-tested in local conditions, including MILK2006 nutrition tests
- Hands-on agronomic advice for maximum yield potential

THE **MILK2006** MODEL

• FROM TESTING TO MODELLING - MILK2006

- The MILK2006 model, developed at the University of Wisconsin, compares the silage yield and quality of corn products. The model evaluates silage corn products for digestibility, fibre, starch, crude protein and animal intake potential. It then converts these factors into Milk per Tonne, which is a measure of estimated intake of energy from corn silage. Milk per Acre is then calculated using the MPT value and dry matter yield MPA. Therefore, MILK2006 provides an index of silage quality MPT and silage quality MPT by yield MPA. This model is considered a good predictor of animal performance. Testing for DEKALB Silage Ready™ products is done across a large variety of management areas across Canada.
- FROM MODELLING TO SCREENING
- After being evaluated using the MILK2006 model, each hybrid is rated for MPT and MPA as a percent of the plot index (grouped by maturity). Hybrid families are rated together and an overall rating is determined for each hybrid.



DKC21-36RIB 71 RM 2075 CHU



· High starch content and high fibre digestibility

- · Semi-fixed ear hybrid can be planted at high populations for full yield potential
- Very good ratio between yield and Milk per Tonne test results
- Very good drought tolerance
- Very good staygreen and late-season plant health

DKC24-06RIB

74 RM 2100 CHU





- · High starch content and high fibre digestibility
- Fixed-ear hybrid can be planted at high populations for full yield potential
- Very good ratio between yield and Milk per Tonne test results
- Very good drought tolerance
- Medium-tall hybrid

DKC34-57RIB

DKC31-85RIB 81 RM 2425 CHU





- Very tall and impressive silage hybrid suitable for areas of 2125 CHU and above
- High silage yield potential and high fibre digestibility
- Above-average stavgreen
- Matures more slowly and offers a wide harvest window
- Hvbrid with semi-fixed ears that will enhance both higher and lower populations

84 RM 2575 CHU



- Tall hybrid with excellent tonnage potential
- · Position on more fertile ground to take advantage of the high, top end yield potential
- Good nutrition quality potential and digestibility
- Slower drydown provides a good harvest window
- Responds well to fungicide applications for yield potential and quality potential

DKC26-40RIB

76 RM 2150 CHU



- High tonnage potential for its maturity and excellent safety profile to help manage early frost
- · Very good ratio between yield and Milk per Tonne test results
- · Excellent agronomic characteristics and seedling vigour
- Semi-fixed ear hybrid can be planted at high populations for full yield potential
- Very good drought tolerance

DKC36-48RIB

86 RM 2600 CHU





- Excellent silage quality potential and fibre diaestibility
- Very good starch content
- Strong silage yield potential
- Above-average drought tolerance
- · Strong root strength supports this taller hvbrid

2024 DEKALB SILAGE CORN AGRONOMIC CHART

НҮВН	RID*				MATURITY			MA	NAGEM	ENT	G	ROWI	ТН		SILA	GE RA	TINGS		MAI	DISEAS NAGEN	SE MENT	
		TRAIT	RELATIVE MATURITY'	CHU GRAIN CORN	CHU SILAGE CORN	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	CORN-ON-CORN OPTION	TARGET POPULATION ³	HERBICIDE SAFETY4	STAYGREEN	PLANT HEIGHT	DROUGHT TOLERANCE	SILAGE YIELD	MILK PER TONNE	MILK PER ACRE	DIGESTIBLE NEUTRAL DETERGENT FIBRE	STARCH CONTENT	GIBBERELLA EAR ROT	TAR SPOT	DELARO® COMPLETE RECOMMENDATION	
DKC21-	-36RIB	VT2P	71	2075	1800-2000	LATE	SF	-	32-34	V	2	M	3	2	4	2	2	2	AA	-	-	
DKC24-	-06RIB	VT2P	74	2100	1825-2050	LATE	F	-	34-36	~	3	M-T	3	3	4	3	2	3	AA	-	-	
DKC26-	-40RIB	VT2P	76	2150	1925-2100	LATE	SF	-	36-38	/	2	M-T	2	2	3	2	2	3	AA	-	-	
DKC31-	-85RIB	VT2P	81	2425	2125-2300	AVG	SF	-	36-38	~	2	M-T	3	3	2	3	2	3	AA	-	-	
DKC34-	-57RIB	VT2P	84	2575	2325-2500	AVG	SF	-	36-38	V	3	Т	2	2	3	2	3	2	ВА	-	-	
DKC36-	-48RIB	VT2P	86	2600	2375-2525	AVG	FL	-	32-34	SU	3	Т	2	3	2	2	2	2	А	-	-	

LEGEND

EAR TYPE

F = Fixed SF = Semi-fixed SFL = Semi-flex FL = Flex

PLANT HEIGHT

S = Short M = Medium T = Tall

RATING SCALE

1-2 = Excellent

3-4 = Very Good

5-6 = Good to Average

7-8 = Fair to Poor **9** = Poor

- = Not Available

TRAIT

RR2 = Roundup Ready® Corn 2 SS = SmartStax® RIB Complete®

VT2P = VT Double PRO® RIB Complete® TRE = Trecepta® RIB Complete®

GIBBERELLA EAR ROT AND TAR SPOT RATINGS

AA = Above Average A = Average

BA = Below Average - = Not Available

HERBICIDE SAFETY

GR = Adverse effects from Growth Regulator Herbicides (XtendiMax® with VaporGrip® Technology, XtendiMax® 2 with VaporGrip® Technology, Engenia®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, Marksman®, 2, 4-D)

SU = Adverse effects from sulfonvlurea herbicides (Option®)

= Fither no adverse effects from the hybrid/herbicide combination were noted or only slight damage could be noted under adverse conditions or herbicide application at higher than label rates

The RIB designation refers to a RIB Complete® product

Data compiled from Bayer conducted field trials.

*Denotes a limited data set



DKC38-55RIB

88 RM 2650 CHU



Tall hybrid with good tonnage potential

- · Excellent vigour and emergence are a good fit for early planting on light or loamy ground
- Good nutrition quality potential and digestibility
- Good drought tolerance and semi-fixed ear deliver consistent yield potential, vear after vear
- · Responds well to fungicide applications for yield potential and quality potential

DKC39-54RIB

89 RM 2725 CHU





- Excellent starch content
- Excellent Milk per Acre potential
- Great vigour and emergence make it a good fit for early planting
- Strong stalks can support higher planted populations
- Excellent choice for corn-on-corn rotations

DKC39-55RIB

89 RM 2725 CHU



- Excellent silage yield potential
- Excellent starch content
- Excellent Milk per Acre potential
- Excellent drydown and test weight
- Plant to target 34-36,000 plants per acre on highly productive ground

DKC42-04RIB 92 RM 2800 CHU





- Tall hybrid with excellent tonnage potential and a semi-flex ear that allows for moderate plant populations
- Excellent trait and agronomic package make it a good fit for corn-on-corn rotations
- Excellent silage fit measuring well for tonnage potential, quality potential and digestibility
- · Widely adaptable hybrid with consistent performance

DKC42-05RIB

92 RM 2800 CHU





- Tall hybrid with excellent tonnage potential and a semi-flex ear that allows for moderate plant populations
- · Excellent silage fit measuring well for tonnage potential, quality potential and digestibility
- · Excellent trait and agronomic package make it a good fit for non corn-on-corn fields
- · Widely adaptable hybrid with consistent performance

DKC44-80RIB

94 RM 2850 CHU





- Tall hybrid that provides superior yield potential and tonnage potential
- High flexibility
- Demonstrated consistently strong performance for Milk per Tonne and Milk per Acre
- Excellent amount of fibre with high diaestibility of NDF
- Excellent starch content

2024 DEKALB SILAGE CORN AGRONOMIC CHART

HYBRID*				MATURITY			MA	NAGEM	ENT	G	ROWI	ТН		SILA	GE RA	TINGS			ISEAS IAGEN	
	TRAIT	RELATIVE MATURITY	CHU GRAIN CORN	CHU SILAGE CORN	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	CORN-ON-CORN OPTION	TARGET POPULATION ³	HERBICIDE SAFETY4	STAYGREEN	PLANT HEIGHT	DROUGHT TOLERANCE	SILAGE YIELD	MILK PER TONNE	MILK PER ACRE	DIGESTIBLE NEUTRAL DETERGENT FIBRE	STARCH CONTENT	GIBBERELLA EAR ROT	TAR SPOT	DELARO® COMPLETE RECOMMENDATION
DKC38-55RIB	VT2P	88	2650	2425-2600	EARLY	SF	-	32-34	~	3	M-T	2	4	3	3	3	3	AA	-	-
DKC39-54RIB	SS	89	2725	2450-2625	AVG	SFL	~	34-36	~	4	М	2	3	4	3	4	2	А	-	-
DKC39-55RIB	VT2P	89	2725	2450-2625	EARLY	SFL	-	34-36	~	4	M	3	3	4	3	4	2	А	-	-
DKC42-04RIB	SS	92	2800	2575-2725	AVG	SFL	~	32-34	~	3	Т	2	2	2	2	3	2	AA	А	-
DKC42-05RIB	VT2P	92	2800	2575-2725	AVG	SFL	-	32-34	~	2	Т	2	2	2	2	3	2	AA	А	-
DKC44-80RIB	VT2P	94	2850	2600-2750	EARLY	FL	-	32-34	~	3	Т	3	3	2	3	3	2	AA	А	-

LEGEND

Fixed SF = Semi-fixed FL = Semi-flex FL = Flex

ANT HEIGHT

Short **M** = Medium **T** = Tall

RATING SCALE -2 = Excellent

-4 = Very Good

-6 = Good to Average -8 = Fair to Poor

= Poor

Not Available

RAIT

RR2 = Roundup Ready® Corn 2 S = SmartStax® RIB Complete® T2P = VT Double PRO® RIB Complete®

RE = Trecepta® RIB Complete®

IBBERELLA EAR ROT AND AR SPOT RATINGS

A = Above Average = Average

A = Below Average

Not Available **ERBICIDE SAFETY**

R = Adverse effects from Growth Regulator Herbicides (XtendiMax® with VaporGrip® Technology, XtendiMax® 2 with VaporGrip® Technology, Engenia®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, Marksman®, 2, 4-D)

J = Adverse effects from sulfonvlurea herbicides (Option®)

= Either no adverse effects from the hybrid/herbicide combination were noted or only slight damage could be noted under adverse conditions or herbicide application at higher than label rates

RIB designation refers to IB Complete® product

*Denotes a limited data set



DKC45-74RIB

📆 95 RM 2875 CHU









- Excellent stavgreen provides a wider harvest window
- Superior silage yield potential combined with excellent silage quality potential
- High fibre digestibility (NDF)

DKC49-09RIB

99 RM 2975 CHU

- Excellent trait and agronomic package make it a good fit for corn-on-corn rotations
- An application of Delaro® Complete fungicide is recommended if conditions are conducive to tar spot development

DKC46-40RIB

96 RM 2875 CHU





- Exceptional silage performance for tonnage potential and quality potential
- production
- Acre and Milk per Tonne in this maturity
- · Excellent starch content and amount of fibre with high digestibility of fibres (NDF)

Demonstrated high consistency for silage


- Provides both higher than average Milk per
- Good staygreen, strong stalks and very good roots



- Very tall hybrid that offers very good tonnage potential, with above average starch and digestibility
- Plant early to take advantage of this hybrid's excellent vigour and emergence
- Excellent drought tolerance and good late-season disease tolerance, particularly against gibberella ear rot
- Strong agronomic characteristics make this a consistently high-quality silage potential, vear after vear

DKC52-52RIB





- Strong drought tolerance
- Excellent late-season staygreen increases the harvest timing window
- Excellent silage quality potential with strong silage vield potential

DKC48-56RIB

98 RM 2950 CHU







- Medium-tall hybrid that offers consistent tonnage potential and quality potential in corn-on-corn rotations
- · Great agronomic package that offers strong emergence and spring vigour
- Very good drought tolerance
- Excellent late-season plant health, especially with protection against ear moulds
- Best planted at high populations for optimal tonnage potential
- An application of Delaro Complete funcicide is recommended if conditions are conducive to tar spot development

DKC54-77RIB

104 RM 3150 CHU





- Excellent silage vield potential
- Excellent starch content
- Excellent Milk per Acre potential
- Excellent drought tolerance
- · Performs well at harvest, with excellent drydown and test weight

2024 DEKALB SILAGE CORN AGRONOMIC CHART

	HYBRID*				MATURITY			MA	NAGEM	ENT	G	ROWT	Ή		SILA	GE RA	TINGS			ISEAS VAGEN		LEGEND EAR TYPE
																	FIBRE				NOI	F = Fixed SF = Semi-fixed SFL = Semi-flex FL = Flex
						MATURITY															ENDAT	PLANT HEIGHT S = Short M = Medium T =
		TRAIT	RELATIVE MATURITY	CHU GRAIN CORN	CHU SILAGE CORN	FLOWERING TIMING FOR MAT	EAR TYPE ²	CORN-ON-CORN OPTION	TARGET POPULATION ³	HERBICIDE SAFETY4	STAYGREEN	PLANT HEIGHT	DROUGHT TOLERANCE	SILAGE YIELD	MILK PER TONNE	MILK PER ACRE	DIGESTIBLE NEUTRAL DETERGENT	STARCH CONTENT	GIBBERELLA EAR ROT	TAR SPOT	DELARO® COMPLETE RECOMMENDATION	RATING SCALE 1-2 = Excellent 3-4 = Very Good 5-6 = Good to Average 7-8 = Fair to Poor 9 = Poor - = Not Available TRAIT RR2 = Roundup Ready® Corn SS = SmartStax® RIB Complet VT2P = VT Double PRO® RIB C TRE = Trecepta® RIB Complet
EW	DKC45-74RIB	SS	95	2875	2650-2800	AVG	SF*	_	34-36	V	2	M-T	3	2	2	2	2	4	A	BA	~	GIBBERELLA EAR ROT TAR SPOT RATINGS
				2070	2000 2000	710	0.		0.00		_			_	_	_	_		, ,			AA = Above Average A = Average BA = Below Average
	DKC46-40RIB	VT2P	96	2875	2625-2800	EARLY	SFL	-	34-36	~	3	Т	3	3	2	3	3	2	А	А	-	- = Not Available HERBICIDE SAFETY
	DKC48-56RIB	SS	98	2950	2700-2875	EARLY	SF	V	36-38	GR	2	M-T	3	4	4	2	3	2	AA	BA	~	GR = Adverse effects from Gr Regulator Herbicides (X with VaporGrip® Techno XtendiMax® 2 with Vapo Technology, Engenia®, R
	DKC49-09RIB	VT2P	99	2975	2725-2900	EARLY	FL	-	32-34	~	2	Т	2	2	3	2	3	3	AA	А	-	Xtend® with VaporGrip® Technology, Roundup X with VaporGrip® Techno Marksman®, 2, 4-D)
EW	DKC52-52RIB	SS	102	3100	2875-3025	AVG	SFL	V	34-36	V	2	S-M	3	3	2	3	4	3	ВА	А	-	SU = Adverse effects from sul herbicides (Option®) ✓ = Either no adverse effect hybrid/herbicide combir noted or only slight dam
	DKC54-77RIB	VT2P	104	3150	2900-3050	EARLY	SFL	-	34-36	~	4	M	4	3	3	3	4	2	A from Payor	А	-	be noted under adverse or herbicide application than label rates The RIB designation refers to a RIB Complete® product 1.2.3.4 = Refer to the Referer

PLANT HEIGHT

S = Short **M** = Medium **T** = Tall

RATING SCALE

RAIT

RR2 = Roundup Ready® Corn 2 SS = SmartStax® RIB Complete®

/T2P = VT Double PRO® RIB Complete® TRE = Trecepta® RIB Complete®

SIBBERELLA EAR ROT AND AR SPOT RATINGS

= Not Available

IERBICIDE SAFETY

GR = Adverse effects from Growth Regulator Herbicides (XtendiMax® with VaporGrip® Technology, XtendiMax® 2 with VaporGrip® Technology, Engenia®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology, Marksman®, 2, 4-D)

U = Adverse effects from sulfonvlurea herbicides (Option®)

= Fither no adverse effects from the hybrid/herbicide combination were noted or only slight damage could be noted under adverse conditions or herbicide application at higher than label rates

Data compiled from Bayer conducted field trials.

*Denotes a limited data set



DKC56-15RIB 106 RM 3175 CHU



- Tall hvbrid
- Very good milk yield potential compared to other DEKALB® hybrids in this RM range
- Good plant health and stalks
- · Excellent starch content
- Very nice fit on rotated ground where Western bean cutworm can be an issue

DKC56-65RIB 106 RM 3200 CHU



- Leafy archetype
- Very nice harvest appearance and strong stalks
- Good silage yield potential
- Very good milk quality product
- Has a long harvest window
- Best planted at high populations for optimal tonnage potential

DKC58-64RIB



- Medium-height hybrid that offers consistent tonnage potential and quality potential in corn-on-corn rotations
- performance with a semi-flex ear type
- product performance potential

108 RM 3250 CHU

Target mid-range populations for best

Keep management high to maximize

DKC59-82RIB 109 RM 3275 CHU





- Excellent drought tolerance and consistent ear development even under stress
- Push plant populations to maximize silage yield potential
- Excellent silage yield potential and silage quality potential
- Very good starch content
- Has shown stability across soil types tested

NEW

2024 DEKALB SILAGE CORN AGRONOMIC CHART

	HYBRID*				MATURITY			MA	NAGEM	ENT	G	ROWT	Ή		SILA	GE RA	TINGS			ISEAS VAGEN		L EA
		TRAIT	RELATIVE MATURITY	CHU GRAIN CORN	CHU SILAGE CORN	FLOWERING TIMING FOR MATURITY	EAR TYPE ²	CORN-CORN OPTION	TARGET POPULATION ³	HERBICIDE SAFETY ⁴	STAYGREEN	PLANT HEIGHT	DROUGHT TOLERANCE	SILAGE YIELD	MILK PER TONNE	MILK PER ACRE	DIGESTIBLE NEUTRAL DETERGENT FIBRE	STARCH CONTENT	GIBBERELLA EAR ROT	TAR SPOT	DELARO® COMPLETE RECOMMENDATION	F = SFL PL. S = RA 1-2 3-4-6 7-8 9 = - = TR RR: SS VT2 TRI
	DKC56-15RIB	TRE	106	3175	2950-3100	AVG	FL	-	32-34	~	2	Т	3	2	3	2	2	2	BA	AA	-	GIE TAI AA A =
	DKC56-65RIB	SS	106	3200	3000-3150	AVG	SF	~	36-38	~	2	S-M	4	3	2	3	3	2	А	А	-	BA -=
7	DKC58-64RIB	SS	108	3250	3050-3175	AVG	SFL	~	34-36	~	3	M	3	3	3	3	4	4	А	А	-	GR
	DKC59-82RIB	VT2P	109	3275	3075-3200	AVG	F	-	36-38	~	3	M	2	2	3	2	4	2	AA	А	-	SU

Data compiled from Bayer conducted field trials. *Denotes a limited data set

.EGEND

Fixed SF = Semi-fixed FL = Semi-flex FL = Flex

ANT HEIGHT

Short **M** = Medium **T** = Tall

RATING SCALE

-2 = Excellent -4 = Very Good

-6 = Good to Average -8 = Fair to Poor

= Poor

Not Available

RAIT

RR2 = Roundup Ready® Corn 2 S = SmartStax® RIB Complete® T2P = VT Double PRO® RIB Complete®

RE = Trecepta® RIB Complete®

IBBERELLA EAR ROT AND AR SPOT RATINGS

A = Above Average = Average

A = Below Average Not Available

ERBICIDE SAFETY

R = Adverse effects from Growth Regulator Herbicides (XtendiMax® with VaporGrip® Technology, XtendiMax® 2 with VaporGrip® Technology, Engenia®, Roundup Xtend® with VaporGrip® Technology, Roundup Xtend® 2 with VaporGrip® Technology. Marksman®, 2, 4-D)

= Adverse effects from sulfonvlurea herbicides (Option®)

= Either no adverse effects from the hybrid/herbicide combination were be noted under adverse conditions or herbicide application at higher than label rates

The RIB designation refers to a RIB Complete® product

PROTECT YOUR CORN SEEDS' PERFORMANCE



Maximize your corn's potential with superior protection and greater flexibility. Choose the Acceleron® package that's right for your field.

PROTECTION	ACCELERON BASIC	ACCELEROIS SEED APPLIED SOLUTIONS	STANDARD
FUNGICIDE	✓	V	~
INSECTICIDE		~	~
BIO-ENHANCER			✓



FUNGICIDE

Excellent control of soil- and seed-borne disease including pythium, rhizoctonia, fusarium, phomopsis, rhizopus, aspergillus and penicillium



NSECTICIDE

Protection from early-season pests, such as wireworms, white grubs and seed corn maggots



The BioRise® Corn Offering is designed to increase functional root olume, as well as water and nutrient uptake through enhanced nycorrhizal colonization

For treatment options and availability, see your DEKALB® retailer or visit DEKALB.ca to find your local Bayer Representative.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Acceleron®. Bayer, Bayer Cross, BioRise® and DEKALB® are trademarks of Bayer group. Used under license. @2023 Bayer Group. All rights reserved





WHAT'S NEW FOR 2024

We've got 9 new soybean varieties for 2024. Whatever the conditions on your farm, we've got you covered.



CROP HEAT UNITS







DEKALB® soybeans deliver on performance. See local trial data at DEKALB.ca

A BROAD LINEUP OF ROUNDUP READY 2 XTEND AND XTENDFLEX SOYBEANS

DEKALB® soybean varieties with the Roundup Ready 2 Xtend® and XtendFlex® soybean traits are the first step towards achieving high yield potential in your fields. Complete the Roundup Ready® Xtend Crop System by applying Roundup Xtend® 2 or XtendiMax® 2 herbicides with VaporGrip® Technology for short-term residual control of hard-to-kill and key glyphosate-resistant broadleaf weeds, such as Canada fleabane. If waterhemp is a concern for you, consider using a DEKALB XtendFlex soybean.



PLANTING RECOMMENDATIONS

Selecting more tolerant varieties can be effective in managing white mould and maintaining yield potential. While no soybean varieties are completely tolerant, DEKALB offers varieties with tolerance to white mould and high standability ratings. In fields with a history of white mould, avoid planting highly susceptible varieties, reduce populations and consider using Delaro® Complete fungicide to help maximize your yield potential.

		ROW	SPACING (INC	CHES)	
	7.5	11	15	22	30
LANTING RATE (SEEDS/ACRE)	190,000	180,000	170,000	155,000	140,000
LANTING RATE (SEEDS/HECTARE)	469,300	444,600	419,900	382,850	345,800
OYBEAN BAGS PER ACRE	1.4	1.3	1.2	1.1	1.0
UMBER OF PLANTS PER FOOT OF ROW	2.7	3.8	4.9	6.5	8.0
UMBER OF PLANTS PER 10 FEET OF ROW	27	38	49	65	80
REA PLANTED WITH ONE BAG (ACRE)	0.7	0.8	0.8	0.9	1.0



DKB0005-03 000.5 RM 2175 CHU



- · Compact, medium bushy architecture plant with excellent standability
- · Performs well across all soil types tested

DKB0008-87

000.8 RM 2275 CHU







- · Medium-to-tall in height with bushy
- An excellent fit for no-till and is best seeded in narrow rows
- Avoid placing in poorly drained soils

architecture and very good standability

DKB001-07 00.1 RM 2300 CHU





- Tall plant with slender architecture and excellent early-season vigour
- · Strong overall disease package

DKB002-32







- Branchy, medium-height variety with excellent standability
- · Excels in moderate-to-high fertility environments and is an excellent fit for your best fields
- Well adapted to all row widths and soil types tested and is a good fit for no-till

DKB005-52

00.5 RM 2425 CHU





- Medium-to-tall height with excellent standability
- Excellent agronomic and disease package with excellent tolerance to white mould and phytophthora root rot (Rps1c)
- Well suited across all soil types and row widths tested

DKB006-80

00.6 RM 2450 CHU





- · Medium-to-tall height with excellent standability
- Outstanding early-season vigour combined with excellent agronomics and disease package including excellent white mould tolerance
- · Well suited across all soil types and row widths tested

2024 DEKALB SOYBEAN AGRONOMIC RATINGS

VARIETY	PLA	NT CHA	IRACTI	ERISTI	cs		ED ITIES	C		ODUC ACTE				ROW WIDT			DISEA CHARAC				
	TRAIT	RELATIVE MATURITY*	СНО	PLANT HEIGHT	PUBESCENCE	HILUM COLOUR	AVG. SEED SIZE CATEGORY	STANDABILITY	EMERGENCE	SEEDLING VIGOUR	NO-TILL ADAPTABILITY	SOIL TYPE	7"	15"	30"	PHYTOPHTHORA ROOT ROT FIELD TOLERANCE*	PHYTOPHTHORA ROOT ROT RESISTANCE GENE*	WHITE MOULD TOLERANCE	BROWN STEM ROT	SUDDEN DEATH SYNDROME	SOYBEAN CYST NEMATODE*
DKB0005-03	RR2X	000.5	2175	M	G	BR	S	1	3	3	3	ALL	~	~	-	5	Rps1c	3	5	-	Susc.
DKB0008-87	RR2X	8.000	2275	M-T	Т	BL	S	3	3	3	2	ALL	~	~	-	5	<i>Rps</i> 1c & 1k	2	5	-	R3
DKB001-07	RR2X	00.1	2300	T	Т	BL	S	2	2	2	2	ALL	~	~	-	4	<i>Rps</i> 1k	2	3	5	R3
DKB002-32	RR2X	00.2	2350	M	LT	BR	S	2	3	3	3	ALL	~	~	-	4	<i>Rps</i> 1k	2	-	-	R3
DKB005-52	RR2X	00.5	2425	M-T	LT	BL	M	2	3	3	3	ALL	~	~	~	2	<i>Rps</i> 1c	2	5	-	R3
DKB006-80	RR2X	00.6	2450	M-T	LT	BL	M	2	2	2	2	ALL	~	~	~	4	Rps1c	2	2	-	R3

LEGEND

RR2Y = Roundup Ready 2 Yield® sovbeans RR2X = Roundup Ready 2 Xtend® soybeans

XF = XtendFlex® sovbeans

PLANT HEIGHT

S = Short M = Medium T = Tall

PUBESCENCE

G = Grey **T** = Tawny **LT** = Light Tawny

HILUM COLOUR

BR = Brown BF = Buff IB = Imperfect Black **BL** = Black **GR** = Grey **IY** = Imperfect Yellow

SEED SIZE CATEGORIES

 $\mathbf{L} = <5500 \text{ seeds/kg}$

M = 5500-6500 seeds/kg

S = >6500 seeds/ka

SOIL TYPE RECOMMENDATIONS

ALL = All Soil Types

CL-C = Clay Loam, Clay L-CL = Loam. Clay Loam

SL-CL = Sandy Loam, Loam, Clay Loam

SOYBEAN CYST NEMATODE LEGEND

SUSC = Susceptible

R1 = Resistant to Race 1 SCN R3 = Resistant to Race 3 SCN

+ CHU = Crop Heat Units

- * = Refer to the References page at the end of this guide for more information
- ** = Partial genes and not fully homozygous

RATING SCALE

1-2 = Excellent 3-4 = Very Good

5-6 = Good to Average

7-8 = Fair to Poor

9 = Poor

- = Not Available



DKB008-48 00.8 RM 2475 CHU



- Medium-to-tall variety with excellent standability, but may shorten up in tougher growing conditions
- Excellent standability and performs well in no-till and conventional tillage
- Consistent performance across all soil types and vield environments tested

DKB03-25

0.3 RM 2625 CHU



- Medium-tall height variety with excellent standability
- Excellent white mould tolerance
- · This variety is adaptable to all row widths and tillage types tested, although populations should be reduced in high fertility environments


DKB07-23 0.7 RM 2700 CHU



- Narrow plant structure
- Adapted to high and low fertility environments with strong white mould tolerance

DKB07-59XF 0.7 RM 2725 CHU





- Medium-tall vase architecture with strong emergence and vigour
- Adapted to no-till and heavier soils

DKB08-80 0.8 RM 2750 CHU





- Medium-tall plant with slender architecture
- Robust phenotype that adapts to all soils and tillage practices tested

DKB10-20

1.0 RM 2750 CHU



- Medium-to-tall plant height with excellent standability
- Excellent white mould tolerance
- Excellent performance across all yield environments and soil types tested

2024 DEKALB SOYBEAN AGRONOMIC RATINGS

	VARIETY	PLA	NT CHA	ARACTI	ERISTI	cs		ED LITIES	C	PRO HARA	ODUC ACTE			ı	ROW WIDT	H		DISEA CHARAC				
		TRAIT	RELATIVE MATURITY*	СНО	PLANT HEIGHT	PUBESCENCE	HILUM COLOUR	AVG. SEED SIZE CATEGORY	STANDABILITY	EMERGENCE	SEEDLING VIGOUR	NO-TILL ADAPTABILITY	SOIL TYPE	7"	15"	30"	PHYTOPHTHORA ROOT ROT FIELD TOLERANCE*	PHYTOPHTHORA ROOT ROT RESISTANCE GENE*	WHITE MOULD TOLERANCE	BROWN STEM ROT	SUDDEN DEATH SYNDROME	SOYBEAN CYST NEMATODE*
	DKB008-48	RR2X	8.00	2475	M-T	LT	BL	M	2	2	3	2	ALL	~	~	-	5	<i>Rps</i> 1c & 1k	3	3	-	R3
	DKB03-25	RR2X	0.3	2625	M-T	LT	BR	M	2	3	3	2	ALL	~	~	~	4	<i>Rps</i> 1c	2	-	-	Susc.
	DKB07-23	RR2X	0.7	2700	M	LT	IB	S	1	3	3	4	ALL	~	~	-	5	<i>Rps</i> 1c**	2	6	-	R3
IEW	DKB07-59XF	XF	0.7	2725	M-T	G	IB	M	3	2	2	2	L-CL	~	~	~	3	Rps1c	3	1	6	R3
IEW	DKB08-80	RR2X	0.8	2750	M-T	LT	BL	L	2	2	3	3	ALL	~	~	~	4	<i>Rps</i> 1c & 1k	2	1	5	Susc.
	DKB10-20	RR2X	1.0	2750	M-T	G	IB	M	2	3	3	2	ALL	~	~	~	5	Rps1c	2	5	3	R3

LEGEND

RR2Y = Roundup Ready 2 Yield® sovbeans RR2X = Roundup Ready 2 Xtend® soybeans

XF = XtendFlex® sovbeans

PLANT HEIGHT

S = Short M = Medium T = Tall

PUBESCENCE

G = Grey **T** = Tawny **LT** = Light Tawny

HILUM COLOUR

BR = Brown BF = Buff IB = Imperfect Black BL = Black GR = Grey IY = Imperfect Yellow

SEED SIZE CATEGORIES

 $\mathbf{L} = <5500 \text{ seeds/kg}$

M = 5500-6500 seeds/kg

S = >6500 seeds/ka

SOIL TYPE RECOMMENDATIONS

ALL = All Soil Types

CL-C = Clay Loam, Clay L-CL = Loam. Clay Loam

SL-CL = Sandy Loam, Loam, Clay Loam

SOYBEAN CYST NEMATODE LEGEND

SUSC = Susceptible

R1 = Resistant to Race 1 SCN R3 = Resistant to Race 3 SCN

+ CHU = Crop Heat Units

* = Refer to the References page at the end of this guide for more information

** = Partial genes and not fully homozygous

RATING SCALE

1-2 = Excellent 3-4 = Very Good

5-6 = Good to Average

7-8 = Fair to Poor

9 = Poor

- = Not Available



DKB11-84 1.1 RM 2825 CHU



- Medium-to-tall, branchy plant with excellent emergence, standability and seedling vigour
- Excellent sudden death syndrome tolerance
- Well suited to all row widths and soil types tested; highly adaptable and well-suited for no-till situations
- Plant at lower populations in environments with high fertility

DKB11-51

1.1 RM 2875 CHU





- Tall variety that branches well to fill out rows
- Adaptable to all soil types, yield environments and tillage management tested

DKB14-65

1.4 RM 2925 CHU






- Medium-height variety with excellent emergence and seedling vigour
- Very good sudden death syndrome and white mould tolerance
- · Well suited to heavier soil types and narrow rows

DKB14-97 1.4 RM 2900 CHU










- Uniform and consistent, standing strong with excellent white mould scores
- Adapted to all soil types tested

DKB16-64XF 1.6 RM 2975 CHU



(Group 9) and glufosinate (Group 10)





- Tall plant with vase architecture and a clean phenotype
- Consistent performance across soil types and tillage practices tested

DKB19-80

1.9 RM 3025 CHU





- Tall, branchy and robust variety
- · Consistent yield potential across soil and tillage types tested
- May lean in high fertility environments and is better suited to heavier clay soils

2024 DEKALB SOYBEAN AGRONOMIC RATINGS

VARIETY	PLA	NT CHA	RACTE	ERISTI	cs —	SE QUAL	ED ITIES	C					ı	ROW WIDTI	H					s	
	TRAIT	RELATIVE MATURITY*	СНО	PLANT HEIGHT	PUBESCENCE	HILUM COLOUR	AVG. SEED SIZE CATEGORY	STANDABILITY	EMERGENCE	SEEDLING VIGOUR	NO-TILL ADAPTABILITY	SOIL TYPE	7"	15"	30"	PHYTOPHTHORA ROOT ROT FIELD TOLERANCE*	PHYTOPHTHORA ROOT ROT RESISTANCE GENE*	WHITE MOULD TOLERANCE	BROWN STEM ROT	SUDDEN DEATH SYNDROME	SOYBEAN CYST NEMATODE*
DKB11-84	RR2X	1.1	2825	M-T	LT	BR	M	2	2	2	2	ALL	~	~	~	3	Rps3a	3	3	2	R3
DKB11-51	RR2X	1.1	2875	Т	Т	BL	M	3	2	3	2	ALL	~	~	~	6	-	4	3	3	R3
DKB14-65	RR2X	1.4	2925	M-T	LT	BL	M	3	2	2	3	ALL	~	~	~	4	<i>Rps</i> 1c & 3a	3	3	4	R3
DKB14-97	RR2X	1.4	2900	T	G	IB	М	2	2	3	3	ALL	~	~	~	-	Rps3a	3	2	3	R3
DKB16-64XF	XF	1.6	2975	T	G	IB	M	3	2	3	2	ALL	~	~	-	3	Rps1c	3	1	3	R3
DKB19-80	RR2X	1.9	3025	Т	LT	BL	М	4	2	2	2	CL-C	~	~	~	4	<i>Rps</i> 1c**	4	3	4	R3
	DKB11-84 DKB11-51 DKB14-65 DKB14-97 DKB16-64XF	DKB11-84 RR2X DKB11-51 RR2X DKB14-65 RR2X DKB14-97 RR2X DKB16-64XF XF	DKB11-84 RR2X 1.1 DKB11-51 RR2X 1.4 DKB14-97 RR2X 1.4 DKB16-64XF XF 1.6	DKB11-84 RR2X 1.1 2825 DKB14-65 RR2X 1.4 2925 DKB14-97 RR2X 1.4 2900 DKB16-64XF XF 1.6 2975	DKB11-84 RR2X 1.1 2825 M-T DKB14-65 RR2X 1.4 2925 M-T DKB14-97 RR2X 1.4 2900 T DKB16-64XF XF 1.6 2975 T	A	DKB11-84 RR2X 1.1 2825 M-T LT BR	DKB11-84 RR2X 1.1 2825 M-T LT BR M DKB14-65 RR2X 1.4 2925 M-T LT BL M DKB16-64XF XF 1.6 2975 T G IB M	PLAIN GRANACIENSIGS QUALITIES CR	DKB11-84 RR2X 1.1 2825 M-T LT BR M 2 2	DKB11-84 RR2X 1.1 2825 M-T LT BL M 3 2 2	DKB11-84 RR2X 1.1 2825 M-T LT BL M 3 2 2 3 3	The image is a second of the image is a seco	DKB11-84 RR2X 1.1 2825 M-T LT BL M 3 2 3 2 ALL MB14-97 RR2X 1.4 2900 T G IB M 2 2 3 3 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T G IB M 3 2 3 2 ALL MB16-64XF XF 1.6 2975 T 3 3 3 3 3 3 3 3 3	DKB11-84 RR2X 1.1 2825 M-T LT BR M 2 2 2 3 ALL	DKB11-84 RR2X 1.1 2825 M-T LT BL M 3 2 3 3 ALL V V	DKB11-84 RR2X 1.1 2825 M-T LT BL M 3 2 2 3 ALL	CHARACTERISTICS CHARACTERI	CHARACTER CHARACTERISTICS WIDTH CHARACTER CHARACTERISTICS WIDTH CHARACTER CHARACTER	DKB11-84 RR2X 1.1 2825 M-T LT BL M 3 2 2 3 ALL V V - Rps3a 3 3	DKB11-84 RR2X 1.1 2825 M-T LT BL M 3 2 3 2 ALL V V 4 Rps1c & 3a 3 3 3 3 3 3 3 3 3

LEGEND

RR2Y = Roundup Ready 2 Yield® sovbeans RR2X = Roundup Ready 2 Xtend® soybeans

XF = XtendFlex® sovbeans

PLANT HEIGHT

S = Short M = Medium T = Tall

PUBESCENCE

G = Grey **T** = Tawny **LT** = Light Tawny

HILUM COLOUR

BR = Brown BF = Buff IB = Imperfect Black BL = Black GR = Grey IY = Imperfect Yellow

SEED SIZE CATEGORIES

 $\mathbf{L} = <5500 \text{ seeds/kg}$

M = 5500-6500 seeds/kg

S = >6500 seeds/ka

SOIL TYPE RECOMMENDATIONS

ALL = All Soil Types

CL-C = Clay Loam, Clay L-CL = Loam. Clay Loam

SL-CL = Sandy Loam, Loam, Clay Loam

SOYBEAN CYST NEMATODE LEGEND

SUSC = Susceptible

R1 = Resistant to Race 1 SCN R3 = Resistant to Race 3 SCN

+ CHU = Crop Heat Units

* = Refer to the References page at the end of this guide for more information

** = Partial genes and not fully homozygous

RATING SCALE

1-2 = Excellent 3-4 = Very Good

5-6 = Good to Average

7-8 = Fair to Poor

9 = Poor

- = Not Available



DKB21-30XF 2.1 RM 3100 CHU



- XtendFlex® soybean variety which has triple herbicide tolerance to dicamba (Group 4), glyphosate (Group 9) and glufosinate (Group 10)
- A medium-to-tall variety with excellent standability
- With excellent early seedling vigour and emergence, this variety is well suited to all tillage practices and soil types tested

DKB23-05 2.3 RM 3150 CHU





- · Medium, branchy and full plant, built for clay and clav loam
- No-till fit with excellent disease package

DKB23-24

2.3 RM 3175 CHU



 Tall, branchy, robust plant that stands well and is best adapted to high-fertility environments and conventional tillage

DKB24-35 2.4 RM 3175 CHU



- Aggressive early-season bean that adapts well to tillage practices and soil types tested
- Very good white mould tolerance
- · Well suited across all soil types and row widths tested

DKB25-17XF 2.5 RM 3200 CHU





- XtendFlex variety which has triple herbicide tolerance to dicamba (Group 4), glyphosate (Group 9) and glufosinate (Group 10)
- Medium-height, full bushy bean that stands well
- High yield potential in all types of clay soils tested

DKB25-57

2.5 RM 3200 CHU





- Medium-height variety with excellent standability
- · Excellent white mould tolerance, well suited for highly productive soils and both narrow and wide rows
- Performed well on all soil types tested but may shorten in height on clay soils

2024 DEKALB SOYBEAN AGRONOMIC RATINGS

	VARIETY	PLA	NT CHA	IRACTI	RISTI	cs	SE QUAL	ED ITIES	C	PRO HARA	ODUC ACTE	TION RIST	i ics	ı	ROW NIDT	H		DISEA CHARAG				
		TRAIT	RELATIVE MATURITY*	СНО	PLANT HEIGHT	PUBESCENCE	HILUM COLOUR	AVG. SEED SIZE CATEGORY	STANDABILITY	EMERGENCE	SEEDLING VIGOUR	NO-TILL ADAPTABILITY	SOIL TYPE	7"	15"	30"	PHYTOPHTHORA ROOT ROT FIELD TOLERANCE*	PHYTOPHTHORA ROOT ROT RESISTANCE GENE*	WHITE MOULD TOLERANCE	BROWN STEM ROT	SUDDEN DEATH SYNDROME	SOYBEAN CYST NEMATODE*
	DKB21-30XF	XF	2.1	3100	M-T	LT	BL	M	2	2	2	2	ALL	~	~	~	4	Rps1c	4	3	3	R3
NEW	DKB23-05	RR2X	2.3	3150	M	G	BL	M	2	2	3	2	L-CL	~	~	-	2	<i>Rps</i> 1c & 3a	3	1	3	R3
NEW	DKB23-24	RR2X	2.3	3175	Т	G	IB	M	3	3	3	3	ALL	~	~	-	4	Rps1c	3	2	3	R3
	DKB24-35	RR2X	2.4	3175	Т	G	IB	S	2	2	3	2	ALL	~	~	~	5	Rps1c	3	4	3	R3
	DKB25-17XF	XF	2.5	3200	M	G	IB	M	3	3	3	3	L-CL	~	~	~	5	Rps1c	3	3	4	R3
	DKB25-57	RR2X	2.5	3200	M	G	IB	L	2	2	3	2	ALL	~	~	~	3	Rps1c	2	4	3	R3
																		Data compi	lad from	Rayor	conducti	ed field trials

LEGEND

TRAIT

RR2Y = Roundup Ready 2 Yield® sovbeans RR2X = Roundup Ready 2 Xtend® soybeans

XF = XtendFlex® sovbeans

PLANT HEIGHT

S = Short M = Medium T = Tall

PUBESCENCE

G = Grey **T** = Tawny **LT** = Light Tawny

HILUM COLOUR

BR = Brown **BF** = Buff **IB** = Imperfect Black BL = Black GR = Grey IY = Imperfect Yellow

SEED SIZE CATEGORIES

 $\mathbf{L} = <5500 \text{ seeds/kg}$

M = 5500-6500 seeds/kg

S = >6500 seeds/ka

SOIL TYPE RECOMMENDATIONS

ALL = All Soil Types

CL-C = Clay Loam, Clay

L-CL = Loam. Clay Loam

SL-CL = Sandy Loam, Loam, Clay Loam

SOYBEAN CYST NEMATODE LEGEND

SUSC = Susceptible

R1 = Resistant to Race 1 SCN R3 = Resistant to Race 3 SCN

* CHU = Crop Heat Units

* = Refer to the References page at the end of this guide for more information

** = Partial genes and not fully homozygous

RATING SCALE

1-2 = Excellent 3-4 = Very Good

5-6 = Good to Average

7-8 = Fair to Poor

9 = Poor


- = Not Available



DKB27-55

2.7 RM 3250 CHU






- Adapted to productive soils and can fill wider row widths
- Strong agronomics and performance potential from this Peking line

DKB28-76XF 2.8 RM 3275 CHU









- · Tall, branchy architecture with a robust phenotype. Vigorous in the spring and standing strong in the fall.
- Strong yield performance potential and agronomics

DKB28-81 2.8 RM 3275 CHU



- Broad acre variety with excellent standability
- Very good field tolerance to phytophthora root rot (Rps1c), white mould and sudden death syndrome
- Excellent tolerance to brown stem rot
- · Well suited across all soil types and agronomic situations tested

DKB32-12XF 3.2 RM 3375 CHU





- XtendFlex variety which has triple herbicide tolerance to dicamba (Group 4), glyphosate (Group 9) and glufosinate (Group 10)
- Tall and robust full-season bean that stands strong throughout the season
- · Solid agronomics with excellent no-till adaptability

DKB33-54 3.3 RM 3400 CHU





- Medium-height variety, suitable across all soil types and yield environments tested
- Excellent field tolerance to phytophthora root rot (Rps1k & 3a)
- Excellent tolerance to brown stem rot and very good tolerance to sudden death syndrome and white mould
- Excels in very tough growing conditions

2024 DEKALB SOYBEAN AGRONOMIC RATINGS

	VARIETY	PLA	NT CHA	ARACTI	ERISTI	cs		ED ITIES	C			CTION RIST			ROW WIDT	H		DISEA CHARA				
		TRAIT	RELATIVE MATURITY*	СНО	PLANT HEIGHT	PUBESCENCE	HILUM COLOUR	AVG. SEED SIZE CATEGORY	STANDABILITY	EMERGENCE	SEEDLING VIGOUR	NO-TILL ADAPTABILITY	SOIL TYPE	7"	15"	30"	PHYTOPHTHORA ROOT ROT FIELD TOLERANCE*	PHYTOPHTHORA ROOT ROT RESISTANCE GENE*	WHITE MOULD TOLERANCE	BROWN STEM ROT	SUDDEN DEATH SYNDROME	SOYBEAN CYST NEMATODE*
NEW	DKB27-55	RR2X	2.7	3250	Т	G	IB	M	3	2	2	2	CL-C	~	~	~	3	Rps1c	4	2	2	R1 & R3
EW	DKB28-76XF	XF	2.8	3275	Т	G	IB	M	2	2	3	2	L-CL	~	~	~	5	Rps1c	3	2	2	R3
	DKB28-81	RR2X	2.8	3275	T	G	IB	S	2	3	3	2	ALL	~	~	~	3	Rps1c	3	2	4	R3
	DKB32-12XF	XF	3.2	3375	Т	G	IB	M	3	3	4	2	ALL	-	~	~	-	Rps1c	3	2	3	R3
	DKB33-54	RR2X	3.3	3400	M	G	IB	M	2	2	2	2	ALL	~	~	~	2	<i>Rps</i> 1k & 3a	3	2	3	R3

Data compiled from Bayer conducted field trials

LEGEND

RR2Y = Roundup Ready 2 Yield® sovbeans RR2X = Roundup Ready 2 Xtend® soybeans

XF = XtendFlex® sovbeans

PLANT HEIGHT

S = Short **M** = Medium **T** = Tall

UBESCENCE

G = Grey **T** = Tawny **LT** = Light Tawny

HILUM COLOUR

BR = Brown BF = Buff IB = Imperfect Black **BL** = Black **GR** = Grey **IY** = Imperfect Yellow

SEED SIZE CATEGORIES

. = <5500 seeds/kg

I = 5500-6500 seeds/kg

= >6500 seeds/ka

SOIL TYPE RECOMMENDATIONS

ALL = All Soil Types

CL-C = Clay Loam, Clay -CL = Loam. Clay Loam

SL-CL = Sandy Loam, Loam, Clay Loam

SOYBEAN CYST NEMATODE LEGEND

SUSC = Susceptible

R1 = Resistant to Race 1 SCN R3 = Resistant to Race 3 SCN

CHU = Crop Heat Units

- = Refer to the References page at the end of this guide for more information
- = Partial genes and not fully homozygous

ATING SCALE

I-2 = Excellent 3-4 = Very Good

5-6 = Good to Average

7-8 = Fair to Poor **9** = Poor

- = Not Available

TAKE CHARGE TO MAXIMIZE YOUR SUCCESS **WITH ROUNDUP XTEND 2 AND XTENDIMAX 2** HERBICIDES WITH VAPORGRIP TECHNOLOGY

Roundup Xtend® 2 and XtendiMax® 2 herbicides with VaporGrip® Technology are farm-tough, field-proven weed control solutions custom tailored to optimize results with the Roundup Ready® Xtend Crop System. Roundup Xtend 2 and XtendiMax 2 deliver the same level of control you trust as the original Roundup Xtend and XtendiMax with the benefits of higher concentrated formulations for greater ease of use.



WITH ROUNDUP XTEND 2 AND XTENDIMAX 2 YOU GET:

- · Higher concentrated formulations
- · Reduces early-weed competition through short-term soil residual activity
- Fights against herbicide resistance (including control of glyphosate-resistant weeds* like Canada fleabane)
- Reduced volatility through VaporGrip Technology
- · Unlocks full weed management potential of Roundup Ready Xtend Crop System





ROUNDUP XTEND 2: CONVENIENT PRE-MIX OF GLYPHOSATE AND DICAMBA

XTENDIMAX 2: STANDALONE DICAMBA FORMULATION

Triple-action Delaro® Complete fungicide adds an additional mode of action for even better protection against major corn and soybean diseases including control of tar spot and protection against white mould.




WITH DELARO COMPLETE YOU GET:

- · A Group 7 active, fluopyram, which offers excellent protection in high-disease situations
- Effective, broad-spectrum control of major corn and soybean diseases



3 YEAR SOYBEAN COMPETITIVE FUNGICIDE **SMALL PLOT YIELDS - MODERATE/HIGH** PRESSURE LOCATIONS



Source: 9 Bayer Market Development small plot trials 2020 (n=3), 2021 (n=2 ON, n=3 QC), 2022 (n=1) Your results may vary depending on agronomic, environmental and pest pressure variable

PROTECT YOUR SOYBEAN SEEDS' PERFORMANCE



Seed treatment options for DEKALB® soybeans

Maximize your soybean's potential with superior protection and greater flexibility. Choose the Acceleron® package that's right for your field.

PROTECTION	ACCELERON SEED APPLIED SOLUTIONS	BASIC	ACCELERON SEED APPLIED SOLUTIONS	STANDARD
FUNGICIDE	V	V	V	✓
INSECTICIDE			✓	✓
BIO-ENHANCER		V		✓

FUNGICIDE

Excellent control of soil- and seed-borne disease including rhizoctonia, pythium, fusarium, phomopsis and phytophthora



NSECTICIDE

Protection from early-season pests such as bean leaf beetles, soybean aphids, seed corn maggots



for plants to get the nutrients and moisture they need. Biological products make

BIO-ENHANCER

nutrients available to plants, helping maximize yield potential. For higher yield potential, order your DEKALB® brand soybean seed pre-treated with Optimize® ST noculant. The specially selected Bradyrhizobium japonicum inoculant and LCO (lipochitooligosaccharide) technology in Optimize® ST help soybean crops by enhancing nutritional availability. Plants benefit from improved nodule formation, increased nitrogen fixation and enhanced nutrient availability to support root and shoot growth.

Nutrient and moisture deficiencies can impair root growth, making it even harder



For treatment options and availability, see your DEKALB retailer or visit DEKALB.ca to find your local Bayer Representative

Image from FieldView™ showing yield performance of soybean field after application of Delaro Complete

PREPARING FOR NEXT YEAR

WINTER - PLANNING

- When you have all your information in one place, it can be easily analyzed to help you choose the best hybrids or varieties for next season
- Review factors that may have affected your crop performance over the past year from spring conditions, planting populations, in-season applications, to harvest date
- Share your results easily with your trusted DEKALB partner or retailer
- You can access localized trial results from the Bayer Market Development team at DEKALB.ca to support your on-farm data
- Create custom variable rate seeding prescriptions for your DEKALB corn tailored to your fields using FieldView™ Seed Scripts or upload your own scripts right into FieldView
- Create variable rate fertility scripts using Field Health Imagery, previous scripts or your own field zones, or upload your own scripts right into FieldView
- Work with your trusted DEKALB partner to identify check strips or adjust zones

SPRING - PLANTING

 A lot of factors go into seed decisions every year: hybrid or variety, seeding date, seed treatment and fertility plans. FieldView[™], along with your trusted DEKALB® partner, helps you create and execute a crop plan tailored for your fields and track it throughout the season to manage any changes.

HAPPENS ALL YEAR LONG.

- Upload your hybrids into your seed shed ahead of spring seeding to make it easier to capture seeding data in real time
- Run your variable rate fertility and seed scripts with FieldView, to optimize your inputs and track performance
- Set up and manage trials or plots to easily evaluate the year's top performers

SUMMER - GROWING

- Continue to manage your crop plan and record any changes to create field reports and tracking
- Use scouting tools to identify any points of interest in your field and easily share that data with your crop team
- Begin to monitor field drydown and vegetation using Field Health Imagery to help determine field harvest order and crop maturity for your DEKALB products

HARVEST SEPT - OCT - NOV

Harvest is your opportunity to evaluate your DEKALB® hybrid and variety

harvest date, as well as combine speed all to help you analyze this year

· Keep track of yield, moisture, weather conditions, standability and

FIELDVIEW™ DRIVE &
FIELDVIEW™ CAB (HARVEST)



FALL - HARVEST

performance for the year

in preparation for next year

PLANNING DEC – JAN – FEB

YIELD ANALYSIS & MAPBOOK



SEED SCRIPTS & MANUAL SCRIPTS FOR SEED, FERTILITY AND CROP PROTECTION



PLANTING MAR – APR – MAY

FIELDVIEW[™] DRIVE & FIELDVIEW[™] CAB (PLANTING, AS APPLIED)



GROWING JUN – JUL – AUG

DISEASE MANAGEMENT, IMAGERY, SCOUTING





MARKET DEVELOPMENT TESTING: DATA INSIGHTS FROM SEED TO HARVEST

At Bayer, our Market Development team is bringing data and insights to Canadian farmers through our extensive testing network to help ensure recommended corn hybrids and soybean varieties perform on your farm. These results are helping to drive tailored solutions. The data our team collects is contributing to hybrid recommendations through seed scripting and germplasm testing for proper product positioning for soil type, yield environment, crop rotation and background fertility. This, along with herbicide and fungicide testing, round out the full tailored solution.

Data generated in real farm conditions deliver results for our full portfolio of products including DEKALB® corn hybrids and soybean varieties. We continue to combine our genetics and our agronomic knowledge of our seed lineups with crop protection and the FieldView™ platform to bring new and innovative solutions to our customers.

We're committed to gathering and sharing data with you.

Visit **DEKALB.ca** for local trial data to see how products perform near you.

Our expert agronomists use the data collected to help provide you with customized hybrid or variety recommendations to suit the needs of your farm.









DEKALB SEEDS HAVE TO PASS OUR TEST BEFORE THEY PASS YOURS.

urce: 2018-2022 Bayer Market Development full-scale field trials across Canada.

If you are interested in learning more about an agronomic or customized DEKALB product recommendation on your farm, contact your local Bayer Territory Sales Manager or find your local Bayer Agronomist by visiting DEKALB.ca.





Scan for more information about DEKALB trials and product performance.



RECORD KEEPING MADE EASY

STORE YOUR DATA IN ONE PLACE WITH THE FIELDVIEW™ PLATFORM

FieldView Seed Shed

Did you know that you can easily scan the bag tag for auto upload into FieldView?

Hybrids can be scanned or entered in the virtual Seed Shed in the FieldView[™] Cab app at any time throughout the growing season. By entering hybrids into your Seed Shed in FieldView, you will be one step closer to having hybrid and variety specific yield for data driven agronomic discussions.

Work with your agronomist to identify the best placement for each hybrid.



BAYERVALUE™ EAST REWARDS PROGRAM

SAVINGS THAT GROW FROM SEED TO HARVEST

The BayerValue Rewards Program lets you maximize your savings on every acre. It's never been easier to save. Visit GrowerPrograms.ca to find out more.

NOT A BAYERVALUE MEMBER YET?

It only takes a few minutes. Sign up today and save on the crop protection products you need all-season long. Visit GrowerPrograms.ca or call 1 888-283-6847 to join BayerValue today. Terms and conditions apply.

L" P
m
C
$\widetilde{\mathbf{u}}$
5
6
de
М
α

NOTES			

References:

CORN

GR/IS

The hybrid/herbicide combination can result in plant height reduction, stand loss and suspected yield loss under very adverse environmental conditions, high rates or extreme soil pH levels or organic content.

Use of drop nozzle spraying for post-emergence herbicides or planting in warm soils for incorporated herbicides may avoid interactions.

Consult your DEKALB® dealer for additional information.

¹ CORN RELATIVE MATURITY

Relative maturity (RM) can be used to compare product's maturity to existing products in the DEKALB lineup. The relative maturity of a hybrid is assessed by comparing the harvest maturity to established products with known RM ratings. Relative maturity assignments are based on four main components: Harvest moisture, Growing Degree Units (GDUs) to mid-pollination (flowering), test weight and plant health.

² EAR TYPE

Flex-ear corn products are best suited for lower populations, as they have the ability to adjust ear size depending on growing conditions, and yield well at lower populations. Fixed-ear products generally show increased yield as seeding rate increases, but are less able to 'flex' if the final stand is less than intended.

3 TARGET POPUL ATION

Final plant population in thousands suggestions are based on medium-to-high yield environment. In fields with lower yield potential consider targeting slightly lower population. Adjust planting rate to suit individual field conditions.

⁴ HERBICIDE SAFETY

Ratings are based on observations and permitted research using herbicides at and above labelled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.

Either no adverse effects from hybrid/herbicide combination were noted or only slight damage could be noted under adverse conditions.

SOYBEAN

PRR FIELD TOLERANCE

A rating of the plant survival and health for phytophthora root rot

PRR RESISTANCE GENE

Rps1c denotes resistance to races

1. 2. 3. 6. 7. 8. 9. 10. 11. 13. 15. 17. 21. 23. 24. 26. 28. 29. 30. 32. 34. 36 and 38

Ros1k denotes resistance to races

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 17, 18, 21, 22, 23, 24, 26, 27, 36, 37 and 38

Rps3a denotes resistances to races

1, 2, 3, 4, 5, 8, 9, 11, 13, 14, 16, 18, 23, 25, 28, 29, 31, 32, 33, 34, 35 and 39

** denotes partial genes that are not fully homozygous

SOYBEAN CYST NEMATODE RESISTANCE

SUSC = SUSCEPTIBLE

R1 = RESISTANT TO RACE 1 SCN

R3 = RESISTANT TO RACE 3 SCN

MR3 = MODERATELY RESISTANT TO RACE 3

SOYBEAN RELATIVE MATURITY



Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable efuge requirements for insect resistance management, for he biotechnology traits expressed in the seed as set forth in the Bayer Technology Stewardship Agreement that you sign. By pening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements.

Relative maturity (RM) can be used to compare product's maturity to existing products in the DEKALB lineup. The relative maturity of a variety is assessed by comparing the harvest maturity to established products with known RM ratings in their adapted geographies.







Services and products offered by Climate LLC are subject to the customer agreeing to our Terms of Service. Our services provide estimates or recommendations based on models. These do not guarantee results. Consult with your agronomist, commodity broker, or other industry professional before making financial, farming, or risk management decisions. More information at https://climatefieldview.ca/legal/disclaimer. FieldView* is a registered trademark of Climate LLC, Bayer CropScience Inc. licensee. ©2023 Bayer Group. All rights reserved.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with products with Roundup Ready 2 Xtend® sovbeans, NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology, ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate, Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to glyphosate. to glufosinate. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs,

Acceleron & Design®, Acceleron®, Allegiance®, Bayer Cross, BioRise®, Converge®, Corvus®, DEKALB and Design®, Dekalb®, Delaro®, EverGol®, Laudis®, Option®, Optimize®, Pardner®. Proline®. RIB Complete®. Roundup®. Roundup Ready 2 Technology and Design®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready®, Roundup Ready®, Roundup WeatherMAX®, Sencor®, Silage Ready and Design®, Silage Ready™, SmartStax®, Stress Shield®, Transorb®, Trecepta®, VaporGrip®, VIOS®, VT Double PRO®, XtendFlex® and XtendiMax® are trademarks of Bayer Group. Used under license. Agrisure Viptera® is a registered trademark of a Syngenta group company. Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. Liberty Link and the Liberty Link logo® are trademarks of BASF. Used under license. Herculex® is a registered trademark of Dow AgroSciences LLC. Used under license. All other trademarks are the property of their respective owners, Bayer CropScience Inc. is a member of CropLife Canada, ©2023 Bayer Group, All rights reserved.





Visit **DEKALB.ca** for local trial results and to find a Bayer Representative close to you.



@Bayer4CropsCA @DEKALB_Canada